PHYSICAL AND CHEMICAL PROPERTIES

Physical State:

Powder

Color: Odor:

White Odorless

pH:

11.5 2.5

Specific Gravity @ 20 C (Water=1): Density @ 20 C (lbs./gallon):

Not Determined

Bulk Density @ 20 C (lbs/ft3):

48-62

Boiling Point/Range (F): Boiling Point/Range (C): Not Determined Not Determined

Freezing Point/Range (F): apparatus require Freezing Point/Range (C): Vapor Pressure @ 20 C (mmHg):

Not Determined Not Determined

Vapor Density (Air=1): Percent Volatiles:

Not Determined Not Determined

Evaporation Rate (Butyl Acetate=1):

Not Determined Not Determined Partially soluble

Solubility in Water (g/100ml): Solubility in Solvents (g/100ml):

Not Determined

VOCs (lbs./gallon):

Not Determined Not Determined

Viscosity, Dynamic @ 20 C (centipoise): Viscosity, Kinematic @ 20 C (centistrokes):

Not Determined Not Determined

Partition Coefficient/n-Octanol/Water:

105.99

Molecular Weight (g/mole):

10. STABILITY AND REACTIVITY

Stability Data:

Stable

Hazardous Polymerization:

Will Not Occur

Conditions to Avoid

None anticipated

Incompatibility (Materials to

Hazardous Decomposition

Strong acids.

Avoid)

thing dust.

ng dust

a shelf life of 36

to control dust

e exposures, the

e determined by

specific

Carbon monoxide and carbon dioxide.

Products

Additional Guidelines

Not Applicable

TOXICOLOGICAL INFORMATION

Principle Route of Exposure

Eye or skin contact, inhalation.

Inhalation

May cause respiratory irritation.

Skin Contact

Prolonged or repeated contact may cause skin irritation.

Eye Contact

May cause eye irritation.

Ingestion

Irritation of the mouth, throat, and stomach.

Aggravated Medical Conditions

None known.

Chronic Effects/Carcinogenicity

No data available to indicate product or components present at greater than 1% are

chronic health hazards.

Other Information

None known.

SODA ASH Page 3 of 6

Toxicity Tests

Oral Toxicity:

LD50: 4220 mg/kg (Rat)

Dermal Toxicity:

Not determined

Inhalation Toxicity:

Not determined

Primary Irritation Effect:

Not determined

Carcinogenicity

Not determined

Genotoxicity:

Not determined

Reproductive /

Not determined

Developmental Toxicity:

ECOLOGICAL INFORMATION

Mobility (Water/Soil/Air)

Not determined

Persistence/Degradability

Not applicable

Bio-accumulation

Not Determined

Ecotoxicological Information

Acute Fish Toxicity:

TLM24: 385 mg/l (Lepomis macrochirus)

Acute Crustaceans Toxicity: Not determined Acute Algae Toxicity:

Not determined

Chemical Fate Information

Not determined

Other Information

Not applicable

13. DISPOSAL CONSIDERATIONS

Disposal Method

Bury in a licensed landfill according to federal, state, and local regulations.

Contaminated Packaging

Follow all applicable national or local regulations.

TRANSPORT INFORMATION

Land Transportation

DOT

Not restricted

Canadian TDG

Not restricted

ADR

Not restricted

Air Transportation

ICAO/I Not res

Sea T

IMDG

Not res Other

Labels

15. F

US Re

US TS

EPA S Hazard

EPA S.

Class

EPA S

EPA C Repor

EPA R Classi

Califor

MA RI NJ Rig

PA Rig

Cana Canad

WHMI

16.

The fo Not ap

Additi

ICAO/IATA
Not restricted

Sea Transportation

IMDG

Not restricted

Other Shipping Information

Labels:

None

15. REGULATORY INFORMATION

US Regulations

US TSCA Inventory

All components listed on inventory or are exempt.

EPA SARA Title III Extremely Hazardous Substances

Not applicable

EPA SARA (311,312) Hazard

Class

Acute Health Hazard

EPA SARA (313) Chemicals

This product does not contain a toxic chemical for routine annual "Toxic Chemical Release Reporting" under Section 313 (40 CFR 372).

EPA CERCLA/Superfund Reportable Spill Quantity

Not applicable.

EPA RCRA Hazardous Waste

Classification

tions.

If product becomes a waste, it does NOT meet the criteria of a hazardous waste as defined by the US EPA.

California Proposition 65

All components listed do not apply to the California Proposition 65 Regulation.

MA Right-to-Know Law

Does not apply.

NJ Right-to-Know Law

Does not apply.

PA Right-to-Know Law

Does not apply.

Canadian Regulations

Canadian DSL Inventory

All components listed on inventory.

WHMIS Hazard Class

Un-Controlled

16. OTHER INFORMATION

The following sections have been revised since the last issue of this MSDS Not applicable

Additional Information

For additional information on the use of this product, contact your local Halliburton representative.

For questions about the Material Safety Data Sheet for this or other Halliburton products, contact Chemical Compliance at 1-580-251-4335.

Disclaimer Statement

This information is furnished without warranty, expressed or implied, as to accuracy or completeness. The information is obtained from various sources including the manufacturer and other third party sources. The information may not be valid under all conditions nor if this material is used in combination with other materials or in any process. Final determination of suitability of any material is the sole responsibility of the user.

END OF MSDS

Pr

Rev

Pro Syn Che App

Mar

Pre

2.

SUB Grap

Haza

4.

Inhal

Skin Eyes

Inges

Notes

HALLIBURTON

ied, as to accurates including the protection of the valid undermaterials or in a color responsibility.

MATERIAL SAFETY DATA SHEET

Product Trade Name:

STEELSEAL 100

Revision Date:

12-Aug-2008

1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Product Trade Name:

STEELSEAL 100

Synonyms: Chemical Family: None . Graphite

Application:

Loss Circulation Material

Manufacturer/Supplier

Baroid Fluid Services

Product Service Line of Halliburton

P.O. Box 1675 Houston, TX 77251

Telephone: (281) 871-4000

Emergency Telephone: (281) 575-5000

Prepared By

Chemical Compliance

Telephone: 1-580-251-4335

e-mail: fdunexchem@halliburton.com

2. COMPOSITION/INFORMATION ON INGREDIENTS

 SUBSTANCE
 CAS Number
 PERCENT
 ACGIH TLV-TWA
 OSHA PEL-TWA

 Graphite
 7782-42-5
 60 - 100%
 2 mg/m³
 15 mg/m³

3. HAZARDS IDENTIFICATION

Hazard Overview

May cause eye and respiratory irritation. May cause delayed injury to lungs.

Airborne dust may be explosive.

4. FIRST AID MEASURES

Inhalation

If inhaled, remove from area to fresh air. Get medical attention if respiratory irritation

develops or if breathing becomes difficult.

Skin

Wash with soap and water. Get medical attention if irritation persists.

Eyes

In case of contact, immediately flush eyes with plenty of water for at least 15 minutes

and get medical attention if irritation persists.

Ingestion

Do not induce vomiting. Slowly dilute with 1-2 glasses of water or milk and seek medical attention. Never give anything by mouth to an unconscious person.

Notes to Physician

Not Applicable

FIRE FIGHTING MEASURES

Flash Point/Range (F): Flash Point/Range (C):

> 356 Flash Point Method: Not Determined Autoignition Temperature (F): Not Determined Autoignition Temperature (C): Not Determined Flammability Limits in Air - Lower (%): Not Determined Flammability Limits in Air - Lower (oz./ft3): 0.07 - 0.12

Flammability Limits in Air - Upper (%): Not Determined

Fire Extinguishing Media All standard firefighting media.

Special Exposure Hazards Not applicable.

Special Protective Equipment for Not applicable.

Fire-Fighters

NFPA Ratings: **HMIS Ratings:**

Health 1, Flammability 0, Reactivity 0

> 673

Health 1, Flammability 0, Reactivity 0

ACCIDENTAL RELEASE MEASURES

Personal Precautionary Measures Use appropriate protective equipment. Avoid creating and breathing dust.

Environmental Precautionary

Measures

None known.

Procedure for Cleaning /

Absorption

Scoop up and remove.

HANDLING AND STORAGE

Handling Precautions

Avoid creating or inhaling dust. Avoid dust accumulations. Wet activated carbon removes oxygen from air causing a severe hazard to workers inside carbon vessels and enclosed or confined spaces. Before entering such an area, sampling and dark procedures for low oxygen levels should be taken to ensure ample oxygen

availability.

Storage Information

Store away from oxidizers. Store in a dry location. Keep from heat, sparks, and open flames. Product has a shelf life of 60 months.

EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering Controls

A well ventilated area to control dust levels.

Respiratory Protection

Not normally needed. But if significant exposures are possible then the following

respirator is recommended: Dust/mist respirator. (95%)

Hand Protection

Normal work gloves.

Skin Protection

Normal work coveralls.

Eye Protection

Wear safety glasses or goggles to protect against exposure.

Other Precautions

None known.

PHYSICAL AND CHEMICAL PROPERTIES

Physical State:

Color:

Odor:

pH:

Specific Gravity @ 20 C (Water=1): Density @ 20 C (lbs./gallon):

Bulk Density @ 20 C (lbs/ft3): Boiling Point/Range (F): Boiling Point/Range (C):

Freezing Point/Range (F): Freezing Point/Range (C):

Vapor Pressure @ 20 C (mmHg): Vapor Density (Air=1):

Percent Volatiles: Evaporation Rate (Butyl Acetate=1): Solubility in Water (g/100ml):

Solubility in Solvents (g/100ml):

VOCs (lbs./gallon): Viscosity, Dynamic @ 20 C (centipoise):

Viscosity, Kinematic @ 20 C (centistrokes): Partition Coefficient/n-Octanol/Water:

Molecular Weight (g/mole):

Solid Dark gray Odorless

Not Determined

1.75

Not Determined Not Determined

7592 4200

Not Determined Not Determined

0.4

Not Determined Not Determined

Insoluble

Not Determined Not Determined

Not Determined Not Determined

Not Determined Not Determined

10. STABILITY AND REACTIVITY

Stability Data:

dust.

ated carbon

xygen

carbon vessels npling and dark

parks, and open

the following

Stable

Hazardous Polymerization:

Will Not Occur

Conditions to Avoid

None known.

Incompatibility (Materials to

Avoid)

Strong acids. Strong alkalis.

Hazardous Decomposition

Products

Carbon monoxide and carbon dioxide.

Additional Guidelines

Not Applicable

TOXICOLOGICAL INFORMATION

Principle Route of Exposure

Eye or skin contact, inhalation.

Inhalation

May cause mild respiratory irritation.

Skin Contact

May cause mild skin irritation.

Eye Contact

May cause eye irritation.

Ingestion

May cause mild gastric distress.

Aggravated Medical Conditions

Skin disorders.

Chronic Effects/Carcinogenicity

Prolonged, excessive exposure to dust may cause pneumoconiosis, a lung disease caused by inhaling dust particles less than 0.5 micrometers into the lungs.

Other Information

None known.

Toxicity Tests

STEELSEAL 100 Page 3 of 6

Oral Toxicity:

Not determined

Dermal Toxicity:

Not determined

Inhalation Toxicity:

Not determined

Primary Irritation Effect:

Not determined

Carcinogenicity

Not determined

Genotoxicity:

Not determined

Reproductive /

Not determined

Developmental Toxicity:

ECOLOGICAL INFORMATION

Mobility (Water/Soil/Air)

Not determined

Persistence/Degradability

Not determined

Bio-accumulation

Not Determined

Ecotoxicological Information

Acute Fish Toxicity:

Not determined

Acute Crustaceans Toxicity: Not determined

Acute Algae Toxicity:

Not determined

Chemical Fate Information

Not determined

Other Information

Not applicable

DISPOSAL CONSIDERATIONS

Disposal Method

Bury in a licensed landfill according to federal, state, and local regulations.

Se IME

No

Otl

Lab

15.

US

US

EP

Haz EP.

Cla

EP.

EP. Rei

EP.

Cla

Cal

MA

NJ

PA

Ca

Car

16

Not

Ad

Contaminated Packaging

Follow all applicable national or local regulations.

TRANSPORT INFORMATION

Land Transportation

DOT

Not restricted

Canadian TDG

Not restricted

ADR

Not restricted

Air Transportation

ICAO/IATA

Not restricted

STEELSEAL 100 Page 4 of 6

Sea Transportation

IMDG

Not restricted

Other Shipping Imagination

Labels:

None

15. REGULATOR FORMATION

US Regulations

US TSCA Inventory

All components listed on inventory or are exempt.

EPA SARA Title III Extra ely

Hazardous Substances

Not applicable

EPA SARA (311,312) Hazard

Class

None

EPA SARA (313) Chamicals

This product does not contain a toxic chemical for routine annual "Toxic Chemical Release Reporting" under Section 313 (40 CFR 372).

Not applicable.

Reportable Spill Qua

Frankie Spin star

EPA RCRA Hazardou : Waste

Classification

If product becomes a waste, it does NOT meet the criteria of a hazardous waste as defined by the US EPA.

California Proposition ...

All components listed do not apply to the California Proposition 65 Regulation.

MA Right-to-Know L

One or more components listed.

NJ Right-to-Know La

Does not apply.

PA Right-to-Know Law

One or more components listed.

Canadian Regulations

Canadian DSL Invertor

lations.

All components listed on inventory.

WHMIS Hazard Clas

Un-Controlled

16. OTHER INFORMATION

The following sections have been revised since the last issue of this MSDS Not applicable

Additional Information

For additional information on the use of this product, contact your local Halliburton representative.

For questions about the Material Safety Data Sheet for this or other Halliburton products, contact Chemical Compliance at 1-580-251-4335.

Disclaimer Statement

This information is furnished without warranty, expressed or implied, as to accuracy or completeness. The information is obtained from various sources including the manufacturer and other third party sources. The information may not be valid under all conditions nor if this material is used in combination with other materials or in any process. Final determination of suitability of any material is the sole responsibility of the user.

END OF MSDS

P

Re

Pro Syr Che App

Mai

Pre

2.

Carl

Haz

A

Inha

Skin

Eyes

Inge

Note

NOTRUBILLAH

gole responsibility er materials or in a ay not be valid un eces including the plied, as to accura

TABHS ATAU YTARA JAIRATAM

STEELSEAL 400

Product Trade Name:

CHEMICAL PRODUCT AND COMPANY IDENTIFICATION 12-Aug-2008 Revision Date:

AnoM synonyms: STEELSEAL 400 Product Trade Name:

Application: Graphite Chemical Family:

Loss Circulation Material

Product Service Line of Halliburton Baroid Fluid Services Manufacturer/Supplier

Houston, TX 77251 P.O. Box 1675

Telephone: (281) 871-4000

Emergency Telephone: (281) 575-5000

e-mail: fdunexchem@halliburton.com

Telephone: 1-580-251-4335 Chemical Compliance Prepared By

2. COMPOSITION/INFORMATION ON INGREDIENTS

10 mg/m³ 15 mg/m³ Carbon %001-09 0-44-0447 **OSHA PEL-TWA AWT-VJT HIÐDA** CAS Number PERCENT SUBSTANCE

3. HAZARDS IDENTIFICATION

Airborne dust may be explosive. May cause eye and respiratory irritation. May cause delayed injury to lungs.

4. FIRST AID MEASURES

Hazard Overview

develops or if breathing becomes difficult. If inhaled, remove from area to fresh air. Get medical attention if respiratory irritation Inhalation

Wash with soap and water. Get medical attention if irritation persists. Skin

and get medical attention if irritation persists. In case of contact, immediately flush eyes with plenty of water for at least 15 minutes Eyes

medical attention. Never give anything by mouth to an unconscious person. Do not induce vomiting. Slowly dilute with 1-2 glasses of water or milk and seek noitestion

Not Applicable Notes to Physician

Page 1 of 6 STEELSEAL 400

FIRE FIGHTING MEASURES

Flash Point/Range (F): Flash Point/Range (C): > 673 > 356

Flash Point Method:

Not Determined

Autoignition Temperature (F): **Autoignition Temperature (C):** Not Determined Not Determined

Flammability Limits in Air - Lower (%): Flammability Limits in Air - Lower (oz./ft3): Not Determined 0.07 - 0.12

Phy

Odd

pH:

Spe

Der

Bul Boi

Boi Fre

Fre Var

Var

Per Eva

Sol

Sol VO

Vis Vis

Pai Mo

10

Sta

Ha

Co

Ha

Sk

Ey

Flammability Limits in Air - Upper (%):

Not Determined

Fire Extinguishing Media

All standard firefighting media.

Special Exposure Hazards

Not applicable.

Special Protective Equipment for Not applicable.

Fire-Fighters

NFPA Ratings:

Health 1, Flammability 0, Reactivity 0

HMIS Ratings:

Health 1, Flammability 0, Reactivity 0

ACCIDENTAL RELEASE MEASURES

Personal Precautionary Measures Use appropriate protective equipment. Avoid creating and breathing dust.

Environmental Precautionary

None known.

Measures

Procedure for Cleaning /

Scoop up and remove.

Absorption

HANDLING AND STORAGE

Handling Precautions

Avoid creating or inhaling dust. Avoid dust accumulations. Wet activated carbon removes oxygen from air causing a severe hazard to workers inside carbon vessels and enclosed or confined spaces. Before entering such an area, sampling and dark procedures for low oxygen levels should be taken to ensure ample oxygen availability.

Storage Information

Store away from oxidizers. Store in a dry location. Keep from heat, sparks, and open flames. Product has a shelf life of 60 months.

EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering Controls

A well ventilated area to control dust levels.

Respiratory Protection

Not normally needed. But if significant exposures are possible then the following

respirator is recommended: Dust/mist respirator. (95%)

Hand Protection

Normal work gloves.

Skin Protection

Normal work coveralls.

Eye Protection

Wear safety glasses or goggles to protect against exposure.

Other Precautions

None known.

STEELSEAL 400 Page 2 of 6

9. PHYSICAL AND CHEMICAL PROPERTIES

Not Determined Molecular Weight (g/mole): Not Determined Partition Coefficient/n-Octanol/Water: Not Determined Viscosity, Kinematic @ 20 C (centistrokes): Not Determined Viscosity, Dynamic @ 20 C (centipoise): Not Determined VOCs (lbs./gallon): Not Determined Solubility in Solvents (g/100ml): pldulosni Solubility in Water (g/100ml): Not Determined Evaporation Rate (Butyl Acetate=1): Not Determined Percent Volatiles: 4.0 Vapor Density (Air=1): Aspor Pressure @ 20 C (mmHg): Not Determined Freezing Point/Range (C): Not Determined Freezing Point/Range (F): 4500 Boiling Point/Range (C): 7697 Boiling PointRange (F): 38-45 Bulk Density @ 20 C (lbs/ft3): Not Determined Density @ 20 C (lbs./gallon): 91.15 Specific Gravity @ 20 C (Water=1): Not Determined :Hd Odorless :10bO Dark gray Color: bilos Physical State:

10. STABILITY AND REACTIVITY

Stability Data: Stable

Hazardous Polymerization: Will Not Occur

Conditions to Avoid

Incompatibility (Materials to Strong acids. Strong alkalis.

Avoid)

Hazardous Decomposition Carbon monoxide and carbon dioxide.

Additional Guidelines Not Applicable

11. TOXICOLOGICAL INFORMATION

Principle Route of Exposure Eye or skin contact, inhalation.

Inhalation May cause mild respiratory irritation.

Skin Contact May cause mild skin irritation.

Eye Contact May cause eye irritation.

Ingestion May cause mild gastric distress.

Aggravated Medical Conditions Skin disorders.

Chronic Effects/Carcinogenicity Prolonged, excessive exposure to dust may cause pneumoconiosis, a lung disease caused by inhaling dust particles less than 0.5 micrometers into the lungs.

Other Information None known.

Toxicity Tests

STEELSEAL 400 Page 3 of 6

.tsub

ed carbon arbon vessels sing and dark

icks, and open

gniwollof :

Oral Toxicity:

Not determined

Dermal Toxicity:

Not determined

Inhalation Toxicity:

Not determined

Primary Irritation Effect:

Not determined

Carcinogenicity

Not determined

Genotoxicity:

Not determined

Reproductive /

Not determined

Developmental Toxicity:

ECOLOGICAL INFORMATION

Mobility (Water/Soil/Air)

Not determined

Persistence/Degradability

Not determined

Bio-accumulation

Not Determined

Ecotoxicological Information

Acute Fish Toxicity:

Not determined

Acute Crustaceans Toxicity: Not determined

Acute Algae Toxicity:

Not determined

Chemical Fate Information

Not determined

Other Information

Not applicable

DISPOSAL CONSIDERATIONS

Disposal Method

Bury in a licensed landfill according to federal, state, and local regulations.

Contaminated Packaging

Follow all applicable national or local regulations.

TRANSPORT INFORMATION

Land Transportation

DOT

Not restricted

Canadian TDG

Not restricted

ADR

Not restricted

Air Transportation

ICAO/IATA Not restricted

> STEELSEAL 400 Page 4 of 6

Sea

IMDG Not re

Othe

Label

15.

US R

US TS

EPA S Hazar

EPA S Class

EPA S

EPA (Repo

EPA I Class

Califo

MAR

NJ Ri

PAR

Cana

Cana

WHM

16.

The f Not a

Addi

Sea Transportation

IMDG

Not restricted

Other Shipping Information

Labels:

None

15. REGULATORY INFORMATION

US Regulations

US TSCA Inventory

All components listed on inventory or are exempt.

EPA SARA Title III Extremely Hazardous Substances

Not applicable

EPA SARA (311,312) Hazard

Class

None

EPA SARA (313) Chemicals

This product does not contain a toxic chemical for routine annual "Toxic Chemical

Release Reporting" under Section 313 (40 CFR 372).

EPA CERCLA/Superfund Reportable Spill Quantity Not applicable.

EPA RCRA Hazardous Waste

Classification

ations.

If product becomes a waste, it does NOT meet the criteria of a hazardous waste as

defined by the US EPA.

California Proposition 65

All components listed do not apply to the California Proposition 65 Regulation.

MA Right-to-Know Law

Does not apply.

NJ Right-to-Know Law

Does not apply.

PA Right-to-Know Law

Does not apply.

Canadian Regulations

Canadian DSL Inventory

All components listed on inventory.

WHMIS Hazard Class

Un-Controlled

16. OTHER INFORMATION

The following sections have been revised since the last issue of this MSDS Not applicable

Additional Information

For additional information on the use of this product, contact your local Halliburton

representative.

For questions about the Material Safety Data Sheet for this or other Halliburton

products, contact Chemical Compliance at 1-580-251-4335.

Disclaimer Statement

This information is furnished without warranty, expressed or implied, as to accuracy or completeness. The information is obtained from various sources including the manufacturer and other third party sources. The information may not be valid under all conditions nor if this material is used in combination with other materials or in any process. Final determination of suitability of any material is the sole responsibility of the user.

END OF MSDS

Pr

Re

Pro Syn Che App

Mar

Pre

۷.

Calc

Haz

A

Inha

Skin

Inge

6

Note

HALLIBURTON

to accuracy luding the e valid under ials or in any sponsibility of

MATERIAL SAFETY DATA SHEET

Product Trade Name:

SteelSeal 50

Revision Date:

05-Jan-2010

CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Product Trade Name:

SteelSeal 50

Synonyms:

None

Chemical Family:

Graphite

Application:

Loss Circulation Material

Manufacturer/Supplier

Baroid Fluid Services

Product Service Line of Halliburton

P.O. Box 1675 Houston, TX 77251

Telephone: (281) 871-4000

Emergency Telephone: (281) 575-5000

Prepared By

Chemical Compliance

Telephone: 1-580-251-4335

e-mail: fdunexchem@halliburton.com

2. COMPOSITION/INFORMATION ON INGREDIENTS

SUBSTANCE	CAS Number	PERCENT	ACGIH TLV-TWA	OSHA PEL-TWA	
Calcined petroleum coke	64743-05-1	60 - 100%	Not applicable	Not applicable	

3. HAZARDS IDENTIFICATION

Hazard Overview

May cause eye and respiratory irritation. May cause delayed injury to lungs.

Airborne dust may be explosive.

4. FIRST AID MEASURES

Inhalation

If inhaled, remove from area to fresh air. Get medical attention if respiratory irritation

develops or if breathing becomes difficult.

Skin

Wash with soap and water. Get medical attention if irritation persists.

Eyes

In case of contact, immediately flush eyes with plenty of water for at least 15 minutes

and get medical attention if irritation persists.

Ingestion

Do not induce vomiting. Slowly dilute with 1-2 glasses of water or milk and seek

medical attention. Never give anything by mouth to an unconscious person.

Notes to Physician

Not Applicable

FIRE FIGHTING MEASURES

Flash Point/Range (F): Flash Point/Range (C): > 673 > 356

Flash Point Method: **Autoignition Temperature (F): Autoignition Temperature (C):** Not Determined Not Determined

Flammability Limits in Air - Lower (%): Flammability Limits in Air - Lower (oz./ft3): Not Determined Not Determined 0.07 - 0.12

Flammability Limits in Air - Upper (%):

Not Determined

Fire Extinguishing Media

All standard firefighting media.

Special Exposure Hazards

Not applicable.

Special Protective Equipment for Not applicable.

Fire-Fighters

NFPA Ratings: **HMIS Ratings:**

Health 1, Flammability 0, Reactivity 0 Health 1, Flammability 0, Physical Hazard 0

ACCIDENTAL RELEASE MEASURES

Personal Precautionary Measures Use appropriate protective equipment. Avoid creating and breathing dust.

Environmental Precautionary

None known.

Measures

Procedure for Cleaning /

Absorption

Scoop up and remove.

HANDLING AND STORAGE

Handling Precautions

Avoid creating or inhaling dust. Avoid dust accumulations. Wet activated carbon removes oxygen from air causing a severe hazard to workers inside carbon vessels and enclosed or confined spaces. Before entering such an area, sampling and dark procedures for low oxygen levels should be taken to ensure ample oxygen availability.

Storage Information

Store away from oxidizers. Store in a dry location. Keep from heat, sparks, and open flames. Product has a shelf life of 60 months.

EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering Controls

A well ventilated area to control dust levels.

Respiratory Protection

If engineering controls and work practices cannot keep exposure below occupational exposure limits or if exposure is unknown, wear a NIOSH certified, European Standard EN 149, or equivalent respirator when using this product. Selection of and instruction on using all personal protective equipment, including respirators, should be performed by an Industrial Hygienist or other qualified professional.

Not normally needed. But if significant exposures are possible then the following

respirator is recommended: Dust/mist respirator. (95%)

Hand Protection

Normal work gloves.

Skin Protection

Normal work coveralls.

SteelSeal 50 Page 2 of 6

Eye F

Othe

Colo Odo pH: Spec Den Bulk Boil Boil

Phys

Vap Vap Per Eva Sol Sol VO

Free Free

Vis Par Mo 10

Vis

Sta Ha

Co

Ha Pr

Ac

In

Eye Protection

Wear safety glasses or goggles to protect against exposure.

Other Precautions

None known.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State:

Color: Odor:

pH: Specific Gravity @ 20 C (Water=1):

Density @ 20 C (lbs./gallon): Bulk Density @ 20 C (lbs/ft3):

Boiling Point/Range (F): Boiling Point/Range (C): Freezing Point/Range (F):

Freezing Point/Range (C): Vapor Pressure @ 20 C (mmHg):

Vapor Density (Air=1): Percent Volatiles:

Evaporation Rate (Butyl Acetate=1): Solubility in Water (g/100ml): Solubility in Solvents (g/100ml):

VOCs (lbs./gallon):

Viscosity, Dynamic @ 20 C (centipoise): Viscosity, Kinematic @ 20 C (centistrokes): Partition Coefficient/n-Octanol/Water:

Molecular Weight (g/mole):

Granules

Dark gray Odorless

Not Determined

1.75

Not Determined

38-45 7592 4200

Not Determined Not Determined

1 0.4

> Not Determined Not Determined

Insoluble

Not Determined Not Determined

Not Determined Not Determined Not Determined

Not Determined Not Determined

10. STABILITY AND REACTIVITY

Stability Data:

carbon on vessels

g and dark

s, and open

ccupational ean

ion of and s, should

llowing

Stable

Hazardous Polymerization:

Will Not Occur

Conditions to Avoid

None known.

Incompatibility (Materials to

Avoid)

Strong acids. Strong alkalis.

7

Hazardous Decomposition Products

Carbon monoxide and carbon dioxide.

Additional Guidelines

Not Applicable

11. TOXICOLOGICAL INFORMATION

Principle Route of Exposure

Eye or skin contact, inhalation.

Inhalation

May cause mild respiratory irritation.

Skin Contact

May cause mild skin irritation.

Eye Contact

May cause eye irritation.

Ingestion

May cause mild gastric distress.

Aggravated Medical Conditions

Skin disorders.

SteelSeal 50 Page 3 of 6 Chronic Effects/Carcinogenicity

Prolonged, excessive exposure to dust may cause pneumoconiosis, a lung disease caused by inhaling dust particles less than 0.5 micrometers into the lungs.

No

Air

ICA

No

Se

IME

Ot

US

Ha

CI

EF

EF Re

EI

Other Information

None known.

Toxicity Tests

Oral Toxicity:

Not determined

Dermal Toxicity:

Not determined

Inhalation Toxicity:

Not determined

Primary Irritation Effect:

Not determined

Carcinogenicity

Not determined

Genotoxicity:

Not determined ·

Reproductive /

Not determined

Developmental Toxicity:

ECOLOGICAL INFORMATION

Mobility (Water/Soil/Air)

Not determined

Persistence/Degradability

Not determined

Bio-accumulation

Not Determined

Ecotoxicological Information

Acute Fish Toxicity:

Not determined

Acute Crustaceans Toxicity: Not determined

Acute Algae Toxicity:

Not determined

Chemical Fate Information

Not determined

Other Information

Not applicable

DISPOSAL CONSIDERATIONS

Disposal Method

Bury in a licensed landfill according to federal, state, and local regulations.

Contaminated Packaging

Follow all applicable national or local regulations.

TRANSPORT INFORMATION

Land Transportation

DOT

Not restricted

Canadian TDG Not restricted

lung disease

ns

ADR

Not restricted

Air Transportation

ICAO/IATA

Not restricted

Sea Transportation

IMDG

Not restricted

Other Shipping Information

Labels:

None

15. REGULATORY INFORMATION

US Regulations

US TSCA Inventory

All components listed on inventory or are exempt.

EPA SARA Title III Extremely

Hazardous Substances

Not applicable

EPA SARA (311,312) Hazard

Class

None

EPA SARA (313) Chemicals

This product does not contain a toxic chemical for routine annual "Toxic Chemical

Release Reporting" under Section 313 (40 CFR 372).

EPA CERCLA/Superfund Reportable Spill Quantity

Not applicable.

EPA RCRA Hazardous Waste

Classification

If product becomes a waste, it does NOT meet the criteria of a hazardous waste as defined by the US EPA.

California Proposition 65

All components listed do not apply to the California Proposition 65 Regulation.

MA Right-to-Know Law

Does not apply.

NJ Right-to-Know Law

Does not apply.

PA Right-to-Know Law

Does not apply.

Canadian Regulations

Canadian DSL Inventory

All components listed on inventory.

WHMIS Hazard Class

Un-Controlled

16. OTHER INFORMATION

The following sections have been revised since the last issue of this MSDS Not applicable

Additional Information

For additional information on the use of this product, contact your local Halliburton representative.

For questions about the Material Safety Data Sheet for this or other Halliburton products, contact Chemical Compliance at 1-580 251 4335.

Disclaimer Statement

This information is furnished without warranty, expressed or implied, as to accuracy or completeness. The information is obtained from various sources including the manufacturer and other third party sources. The information may not be valid under all conditions nor if this material is used in combination with other materials or in any process. Final determination of suitability of any material is the sole responsibility of the user.

Inh

END OF MSDS

SteelSeal 50 Page 6 of 6

HALLIBURTON

lalliburton

burton

o accuracy iding the valid under als or in any ionsibility of MATERIAL SAFETY DATA SHEET

Product Trade Name:

VIS-PLUS®

Revision Date:

03-Jan-2008

CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Product Trade Name:

VIS-PLUS®

Synonyms:

None

Chemical Family: Application:

Organic acid Viscosifier

Manufacturer/Supplier

Baroid Fluid Services

Product Service Line of Halliburton

P.O. Box 1675 Houston, TX 77251

Telephone: (281) 871-4000

Emergency Telephone: (281) 575-5000

Prepared By

Chemical Compliance

Telephone: 1-580-251-4335

e-mail: fdunexchem@halliburton.com

2. COMPOSITION/INFORMATION ON INGREDIENTS

 SUBSTANCE
 CAS Number
 PERCENT
 ACGIH TLV-TWA
 OSHA PEL-TWA

 Fatty acid
 30 - 60%
 Not applicable
 Not applicable

3. HAZARDS IDENTIFICATION

Hazard Overview

May cause eye, skin, and respiratory irritation.

I. FIRST AID MEASURES

Inhalation

If inhaled, remove from area to fresh air. Get medical attention if respiratory irritation

develops or if breathing becomes difficult.

Skin

Wash with soap and water. Get medical attention if irritation persists.

Eyes

In case of contact, immediately flush eyes with plenty of water for at least 15 minutes

and get medical attention if irritation persists.

Ingestion

Do not induce vomiting. Slowly dilute with 1-2 glasses of water or milk and seek

medical attention. Never give anything by mouth to an unconscious person.

Notes to Physician

Not Applicable

FIRE FIGHTING MEASURES

Flash Point/Range (F): 356 Flash Point/Range (C): 180 Flash Point Method: COC

Autoignition Temperature (F): Not Determined **Autoignition Temperature (C):** Not Determined Flammability Limits in Air - Lower (%): Not Determined Flammability Limits in Air - Upper (%): Not Determined

Fire Extinguishing Media Carbon Dioxide, Dry Chemicals, Foam.

Decomposition in fire may produce toxic gases. Organic dust in the presence of an Special Exposure Hazards

ignition source can be explosive in high concentrations. Good housekeeping

practices are required to minimize this potential.

Fire-Fighters

Special Protective Equipment for Full protective clothing and approved self-contained breathing apparatus required in

fire fighting personnel.

NFPA Ratings: HMIS Ratings:

Health 1, Flammability 1, Reactivity 0 Flammability 1, Reactivity 0, Health 1

ACCIDENTAL RELEASE MEASURES

Personal Precautionary Measures Use appropriate protective equipment. Avoid creating and breathing dust.

Environmental Precautionary

Measures

None known.

Procedure for Cleaning /

Absorption

Scoop up and remove.

HANDLING AND STORAGE

Avoid contact with eyes, skin, or clothing. Avoid breathing vapors. Wash hands after **Handling Precautions**

Storage Information Store away from alkalis. Store away from oxidizers. Store in a cool, dry location.

EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering Controls A well ventilated area to control dust levels.

Respiratory Protection Dust/mist respirator. (95%)

Hand Protection Normal work gloves.

Skin Protection Normal work coveralls.

Wear safety glasses or goggles to protect against exposure. Eye Protection

Other Precautions None known.

PHYSICAL AND CHEMICAL PROPERTIES

Physical State:

Color:

Odor:

pH:

Solid White

Mild fatty

Not Determined

VIS-PLUS® Page 2 of 5



Spec Dens Bulk

Boili Free Free

Vapo Perc Evap Solu Solu VOC

Vapo

Visc Visc Part Mole

10.

Stal

Haz

Cor



Haz Pro

> Add 11

Ski

Ch

To

Ot

PHYSICAL AND CHEMICAL PROPERTIES

Specific Gravity @ 20 C (Water=1): 0.85

Density @ 20 C (lbs./gallon): Not Determined Bulk Density @ 20 C (lbs/ft3): Not Determined

Boiling Point/Range (F): 721 Boiling Point/Range (C): 383

Freezing Point/Range (F): Not Determined Freezing Point/Range (C): Not Determined Vapor Pressure @ 20 C (mmHg): Not Determined

Vapor Density (Air=1): 9.8 Percent Volatiles: 0

Evaporation Rate (Butyl Acetate=1): Not Determined Solubility in Water (g/100ml): Insoluble

Solubility in Solvents (g/100ml): Not Determined VOCs (lbs./gallon): Not Determined

Viscosity, Dynamic @ 20 C (centipoise): Not Determined Viscosity, Kinematic @ 20 C (centistrokes): Not Determined

Partition Coefficient/n-Octanol/Water: > 3

Molecular Weight (g/mole): Not Determined

STABILITY AND REACTIVITY

sence of an

s required for

ands after

cation.

eping

Stability Data: Stable

Hazardous Polymerization: Will Not Occur

Conditions to Avoid Keep away from heat, sparks and flame.

Incompatibility (Materials to Strong alkalis.

Avoid)

Hazardous Decomposition Carbon monoxide and carbon dioxide. **Products**

Additional Guidelines Not Applicable

TOXICOLOGICAL INFORMATION

Principle Route of Exposure Eye or skin contact, inhalation.

Inhalation May cause respiratory irritation.

Skin Contact May cause skin irritation.

Eye Contact May cause eye irritation.

Ingestion Irritation of the mouth, throat, and stomach. May act as obstruction if swallowed.

Aggravated Medical Conditions None known.

Chronic Effects/Carcinogenicity No data available to indicate product or components present at greater than 1% are

chronic health hazards.

Toxicity Tests

Other Information

Oral Toxicity: LD50: > 2000 mg/kg (Rat)

Dermal Toxicity: LD50: > 5000 mg/kg (Rabbit) Inhalation Toxicity:

None known.

Not determined

VIS-PLUS® Page 3 of 5 **Primary Irritation Effect:**

Not determined

Carcinogenicity

Not determined

Genotoxicity:

Not determined

Reproductive /

Not determined

Developmental Toxicity:

ECOLOGICAL INFORMATION

Mobility (Water/Soil/Air)

Not determined

Persistence/Degradability

Readily biodegradable

Bio-accumulation

Not Determined

Ecotoxicological Information

Acute Fish Toxicity:

Not determined

Acute Crustaceans Toxicity: Not determined Not determined

Acute Algae Toxicity:

Chemical Fate Information

Not determined

Other Information

Not applicable

DISPOSAL CONSIDERATIONS

Disposal Method

Bury in a licensed landfill according to federal, state, and local regulations.

Contaminated Packaging

Follow all applicable national or local regulations.

TRANSPORT INFORMATION

Land Transportation

DOT

Not restricted

Canadian TDG

Not restricted

ADR Not restricted

Air Transportation

ICAO/IATA Not restricted

Sea Transportation

IMDG Not restricted

Other Shipping Information

Labels:

None

VIS-PLUS® Page 4 of 5 15.

USI

US T

EPA Haza

EPA

Clas

EPA

EPA

Rep

Clas

Cali

PA

NJI

Ca

Car

WH

16.

The Not

Ad

Dis

15. REGULATORY INFORMATION

US Regulations

US TSCA Inventory

All components listed on inventory.

EPA SARA Title III Extremely Hazardous Substances

Not applicable

EPA SARA (311,312) Hazard

Class

None

EPA SARA (313) Chemicals

This product does not contain a toxic chemical for routine annual "Toxic Chemical Release Reporting" under Section 313 (40 CFR 372).

EPA CERCLA/Superfund Reportable Spill Quantity Not applicable.

EPA RCRA Hazardous Waste

Classification

If product becomes a waste, it does NOT meet the criteria of a hazardous waste as defined by the US EPA.

California Proposition 65

All components listed do not apply to the California Proposition 65 Regulation.

MA Right-to-Know Law

Does not apply.

NJ Right-to-Know Law

Does not apply.

PA Right-to-Know Law

One or more components listed.

Canadian Regulations

Canadian DSL Inventory

All components listed on inventory.

WHMIS Hazard Class

ons

Un-Controlled

16. OTHER INFORMATION

The following sections have been revised since the last issue of this MSDS Not applicable

Additional Information

For additional information on the use of this product, contact your local Halliburton

representative.

For questions about the Material Safety Data Sheet for this or other Halliburton products, contact Chemical Compliance at 1-580-251-4335.

Disclaimer Statement

This information is furnished without warranty, expressed or implied, as to accuracy or completeness. The information is obtained from various sources including the manufacturer and other third party sources. The information may not be valid under all conditions nor if this material is used in combination with other materials or in any process. Final determination of suitability of any material is the sole responsibility of the user.

END OF MSDS



Apsara Petroleum Development, Block A Environmental Impact Assessment



Appendix 4

APPENDIX 4: METHODOLOGY

BASELINE SAMPLING

Introduction

International Environmental Management Co. Ltd. (IEM) conducted an offshore baseline sampling program in Apsara Petroleum Development Block A located in Cambodia in the central Gulf of Thailand.

Scope of Work

IEM collected seabed and water samples at representative locations from October 23rd to October 29th, 2010, and analyzed these for seawater quality, sediment quality, and biological resources. The biological resources collected were benthos, phytoplankton, zooplankton, and larvae, which are defined as follows:

- Benthos are organisms which live on, in, or near the seabed, also known as the benthic zone (http://www.caml.aq/benthos/index.html). They are usually found within or attached to the seabed sediment. Sediments provide a record of environmental conditions including the recent past; they also tend to accumulate pollutants over time. Benthos living in these sediments therefore could be an indicator of longer-term environmental conditions and the quality of the environment.
- Phytoplankton are autotrophic, prokaryotic or eukaryotic algae that live near the water surface where there is sufficient light to support photosynthesis. Phytoplankton are the main primary producer within the marine food chain and are abundantly present in the world's oceans (http://oceanworld.tamu.edu/resources/oceanography-book/marinefoodwebs.htm). Growth of phytoplankton depends on certain conditions such as temperature, light, the absolute and comparative concentration of micro-nutrients. Thus, phytoplankton is a good indicator of change in an offshore environment (www.pan-ol.lublin.pl/wydawnictwa/TOchr1/Zebek.pdf).
- Zooplankton are small protozoans or metazoans (e.g. crustaceans) that feed on other plankton.
 Zooplankton are important to the marine food chain as both primary and secondary consumers of not only phytoplankton but also other zooplankton.
- Larvae are a distinct juvenile form that many animals undergo before metamorphosis into adults. Marine larval dispersal is one of the most important topics in marine ecology because most marine larvae are capable of dispersing long distances from their release site and marine larvae are therefore an indicator of fisheries management, effective marine reserve design, and control of invasive species.

Together, these organisms represent a diverse biological marine community that are sensitive to changes in their environment and therefore good indicators of the overall health of the marine ecosystem.

The number of samples for each parameter is provided in **Table 1**. The detailed parameters and methodology used are provided in **Table 2**.

IEM collected QA/QC trip blanks and samples from a control station which was established well away from the potential influence of the development to determine a secure benchmark for the future. The control station for this sampling program is located 15 km southeast of the proposed development



Apsara Petroleum Development, Block A **Environmental Impact Assessment**



Appendix 4

area. This distance and direction ensure that it is sufficiently located away from previous drilling locations in Block A.

Sampling station locations in the field were ascertained with the use of the GPS (Global Positioning Systems) both from hand held and the vessel's equipment. IEM also used GPS tracking software to assist in navigating the vessel to the precise position. The locations of the sampling stations are provided in Figure 1, and the coordinates are shown in Table 3.

Survey Vessel

Environmental sampling requires a stable working environment from which to deploy sampling equipment. The vessel must be able to withstand the sea conditions that can be expected in the central Gulf. Typically, the sampling vessel is a supply/tug ocean going vessel with ample deck space provided for working and placement of a 20 foot lab/office container.

The vessel contractor for this baseline survey was SC Management Co. Ltd. SC Management Co. Ltd. has a long history of successful sampling surveys in the Gulf of Thailand. All samples were collected over the side of a 32.4-m supply vessel KNO 102. The specifications of the KNO 102 suply vessel are shown in the Appendix.

Parameter	Number of Sampling Locations	Sampling Stations per Location	Control Station	QA/QC (Field Blank, Trip Blank, Duplicate)	Total Samples
Seawater	2	1 x 3 levels (3)	1 x 3 levels (3)	3	12
Sediment	11	1	1	1	13
Benthos	11	1	1	1	13
Phytoplankton	4	1	1	1	6
Zooplankton	4	1	1	1	6
Larvae	4	1	1	1	6



endix 4

drilling

tioning vare to ons are

npling central space

b. Ltd. lected sel are

l les



Apsara Petroleum Development, Block A Environmental Impact Assessment



Appendix 4

Table 2: Sampling Parameters and Methodology

Parameters	Detection Limit	Analytical Method	Preservation Method	Number of Samples
Seawater				
Total Metals:				
Arsenic	0.1 mg/L			12
Barium	10 μg/L			12
Cadmium	10 μg/L			12
Chromium	10 μg/L	USEPA 6020/on-line		12
Copper	10 μg/L	chelation-ICPMS	Plastic bottle,	12
Lead	10 μg/L		preserved with	12
Nickel	10 μg/L		HNO ₃ to pH< 2	12
Zinc	100 μg/L		and kept cool	12
Iron	0.5 mg/L	APHA 3500Fe:B/AAS		12
Manganese	0.5 mg/L	APHA 3500Mg:B/AAS		
Mercury	0.5 μg/L	USERA 7471/Cold-Vapour AAS		12
Hydrocarbons:		THE YOUR DE		1
ТРН	C6-C9: 20μg/L; C10-C14: 50μg/L; C15-C28: 100μg/L; C29-C35: 50 μg/L	USEPA 8260 (Purge & Trap GCMS) + USEPA 8015 (GCFID)	1 litre glass+Two 40mL HCL preserved glass vial. Kept cool at 4°C	12
Physical Parameters				
Total Suspended Solids	2 mg/L	APHA 2540B	Kept cool at 4°C	12
TOC	5 mg/L	APHA 5310B	H ₂ SO ₄ to pH <2, glass	12
Oil & Grease	5 mg/L	APHA 5520 E	H ₂ SO ₄ to pH <2, glass	12
рН	0.1 pH unit	Troll 9000® Multiparameter probe	Measured in-situ	Continuo us depth profiles
Conductivity	1 μS/cm	Troll 9000® Multiparameter probe	Measured in-situ	Continuo us depth profiles
Temperature		Troll 9000® Multiparameter probe	Measured in-situ	Continuo us depth profiles
Dissolved Oxygen		Troll 9000® Multiparameter probe	Measured in-situ	Continuo us depth profiles
Turbidity	1 NTU	Troll 9000® Multiparameter probe	Measured in-situ	Continuo us depth profiles
Sediment			4.4	
Total Metals:	((
Arsenic	1 mg/kg		Glass bottle, Kept	13
Barium	1 mg/kg	USEPA 6020/ICPMS	cool at 4°C	13





Appendix 4

Parameters	Detection Limit	Analytical Method	Preservation Method	Number of Samples
Cadmium	0.02 mg/kg			13
Chromium	1 mg/kg	6		13
Copper	1 mg/kg			13
Lead	1 mg/kg	,		13
Nickel	1 mg/kg			13
Zinc	1 mg/kg			13
Iron	0.5 mg/kg	APHA 3500Fe:B/AAS	Glass bottle, Kept	13
Mercury	0.02 mg/kg	USEPA 7471	cool at 4°C	13
Hydrocarbons:				
TPH	C6-C9: 2 mg/kg; C10-C14: 50 mg/kg; C15-C28: 100 mg/kg; C29- C35: 100 mg/kg	USEPA 8260 (Purge & Trap GCMS) + USEPA 8015 (GCFID)	Glass bottle, Kept cool at 4°C	13
TOC (include Moisture)	0.50%	APHA 5310B	Glass bottle, Kept cool at 4°C	13
Physical:				
particle size	0.10%	BS1377: Wet seiving (63um-2mm); Hydrometer (<63um)	500 gram in plastic bag	13
Biological				440-100
Zooplankton (density/diversity)			Preserved in 4 percent formalin	6
Phytoplankton (density/diversity)			Preserved in 4 percent formalin	6
Larvae			Preserved in 4 percent formalin	6
Benthos (Density, Diversity, Biomass)			Samplers were relaxed in magnesium chloride for 30 minutes and fixed with 10 % formalin on board and replaced with 70% alcohol for storage in the laboratory. Remaining sediment on the sieves were collected and preserved with 10% formalin for further sorting in the laboratory.	13





Apsara Petroleum Development, Block A Environmental Impact Assessment


samples

Jo of

Lhevron



Figure 1: Baseline Sampling Locations



Appendix 4

Page AP4-5

Document No.: Block A-HES-REG-COPCL-01.0



Apsara Petroleum Development, Block A Environmental Impact Assessment



Appendix 4

Table 3: Sampling Location Coordinates

PLATFORM	Coordinates(Indain1975)				
	EASTING	NORTHING	Lat	long	
Α	856150	1101150	102° 14'52.583"	9° 56' 47.217	
В	854510	1097000	102° 13'57.475"	9° 54' 32.817	
С	860501	1098506	102° 17'14.408"	9° 55' 19.867	
D	858000	1097906	102° 15'52.205"	9° 55' 1.163	
E	854800	1093100	102° 14' 5.743"	9° 52' 25.932	
F	859629	1094200	102° 16'44.424"	9° 53' 0.161	
G	859725	1090050	102° 16'46.235"	9° 50' 45.215	
Н	860000	1086000	102° 16'53.951"	9° 48' 33.463	
l	859750	1103900	102° 16'51.534"	9° 58' 15.465	
J	851878	1100253	102° 12'32.199"	9° 56' 19.407	
FSO	852476	1106161	102° 12'53.694"	9° 59' 31.297	
Control Point	876351	1089957	102° 25'51.212"	9° 50' 36.774	

Data Sources

Information for the description of this environmental baseline comes from an environmental baseline survey conducted by IEM in Block A Cambodia between October 23rd and October 29th, 2010.

Seawater Collection Methodology

For seawater samples, some parameters were measured in-situ (continuously and near-instantaneously with a measurement probe), as specified in **Table 2**, while other parameters require offsite ex-situ laboratory analysis.

For parameters measured "in-situ" (pH, temperature, D.O., conductivity, turbidity), IEM measured profiles using a Troll 9000® Multi-parameter Sonde. The Sonde is equipped with a rugged 100 metre Teflon vented cable allowing depth profiles to be acquired anywhere in the Gulf of Thailand. The sonde was lowered from the seawater surface to the ocean floor (an approximate depth of 61 - 73 meters), and then brought back to the surface, taking measurements at 2 second intervals.

For parameters requiring offsite ex-situ laboratory analysis, samples were collected with the use of an Ocean Scientific Teflon Vertical Sampling Water Bottle with a 7.5-liter capacity, which was deployed on a metered, plastic-coated steel cable. Before deployment, the sampler was rinsed with distilled water and seawater at each sampling station 3-4 times. Water samplers were lowered into the sea to the desired depths, at 1 m and 30 m below the surface and 1 m above the seabed. The sampler was left in position for 30-60 seconds to allow equalization with the water at the specified depths. Once equalized, the closing mechanism was triggered to allow collection of a sample. The seawater was brought onboard and transferred to appropriate storage bottles, preserved as applicable, and stored according to the analytical requirement. The sample preservation methods are provided in **Table 2** above. All sample handling was done wearing nitrile gloves to avoid contamination. The samples were kept in a refrigerator.

Sediment Collection Methodology

Sediment samples were collected using a 0.1 m² "Day" grab sampler, equipped with stainless steel buckets, which was deployed on an un-greased cable wire. This "Day" grab sampler is especially designed for operation in deep seawater required for the collection of undisturbed sediment.

Document No.: Block A-HES-REG-COPCL-01.0

Page AP4-6



Appendix 4




Apsara Petroleum Development, Block A Environmental Impact Assessment



Appendix 4

Each sediment grab was examined to ensure the water/sediment interface had not been disturbed. For chemical and physical tests, the top 2-3 cm of the sediment was carefully scooped off and transferred to the appropriate container according to the analysis prerequisite. Preservation requirements for sediment samples are provided in **Table 2** above. A photograph of the collection equipment is shown in **Figure 2**.

Figure 2: Sediment Sampling



baseline

neously ex-situ

easured metre d. The

e of an ployed stilled sea to as left Once r was stored ble 2 nples

steel ially



Apsara Petroleum Development, Block A Environmental Impact Assessment



Appendix 4

Biological Resources Sampling Methodology

General Definitions

Diversity index

Diversity indices are commonly used to assess the state of an ecosystem (e.g., as a criterion for conservation evaluation), with high diversity generally being considered a desirable property in a community or ecosystem. Shannon's diversity index is one of the most commonly used diversity indices (http://www.tiem.utk.edu/~mbeals/shannonDI.html).

Richness

The "species richness" is simply the number of species present in an ecosystem. Margalef's richness index provides a measure of species richness that is roughly normalized for sample size without using more complex rarefaction techniques.

Evenness

The "species evenness" is the relative abundance or proportion of individuals among the species. Pielou's evenness is one mathematical method of representing the evenness of a community.

Benthos

Sediment samples were collected using a 0.1 m² "Day" grab sampler equipped with stainless steel buckets, which was deployed on a nylon rope using an A-frame crane and hydraulic winch. When the grab sampler reached the bottom it was raised up and brought back onboard. The contained sediment grab was examined to ensure the water/sediment interface was not disturbed.

The sediment was sieved through 2 mm, 1mm and 0.5mm to sort the benthos from the sediment (English et al., 1994). At each of the 12 stations (see Figure 1), three replicates of grab were collected and combined. Additional field duplicate samples at Station H were also collected and analyzed for QA/QC purposes to check the reproducibility of the laboratory's analytical results, as well as the environmental sample variability and to evaluate the precision of the methods. The samplers were relaxed in Magnesium chloride for 30 minute and fixed with 10 % formalin on board and replaced with 70% alcohol for storage in the laboratory (see Figure 4). Remained sediment on the sieves were collected and preserved with 10% formalin for further sorting in the laboratory.

The samples were sent to scientists at the Coral Reef and Benthos Research Unit, Center of Excellence for Biodiversity of Peninsular Thailand, Faculty of Science, Prince of Songkla University (Figure 5 and Figure 6). Benthic fauna were identified at the lowest practical taxa and differentiated between species. Unidentified species were identified to genus level and organized in different species-like subgroups as genus sp.x. Therefore, the calculation of diversity index can be done at the species level. The benthic fauna were compared with previous benthos samples at the Coral Reef and Benthos Research Unit where data bases of benthos in the Gulf of Thailand were established (Figure 7).

The benthic density (individuals/m²) was determined for each station with a mean and standard deviation for all stations. A diversity index was calculated for all sites to determine the evenness of the distribution.

The Shannon diversity index was calculated as:

$$H' = \sum_{i=1}^{S} Pi(\ln(Pi))$$

Where

H = Diversity Index



Appendix 4

riterion for operty in a d diversity

s richness nout using

species.

ess steel Vhen the sediment

ediment ollected zed for as the rs were eplaced s were

nter of versity ntiated fferent at the ef and 'igure

ndard ss of



Apsara Petroleum Development, Block A Environmental Impact Assessment



Appendix 4

 P_i = Proportion of total sample belonging to species i^{th} was calculated as $P_i = \frac{ni}{N}$

N = the total number of individuals per site

 n_i = the number of individuals in the ith family or taxa

S= Total number of species in each station

Pielou's evenness was calculated as

$$J = H/(\ln S)$$

Margalef's richness index was calculated as:


$$(S-1)/\ln(n)$$

Where H' is Shannon's diversity index, S is total number of species in each station and n is number of individual in each station.





Figure 3: Sediment Sampling Protocol



hevron

endix 4



Figure 4: Benthos Collection Protocol





Figure 5: Sediment Processing





Apsara Petroleum Development, Block A Environmental Impact Assessment



Figure 6: Recovering Benthos from Sediuments under Stereo Microscope





Figure 7: Analysis and Comparison of Benthos





Appendix 4

Phytoplankton

Two hundred liters of sea water at 1 meter depth was collected and pass through 22 micron phytoplankton net (Figure 8) at the 5 stations specified in Figure 1 and Table 1. The plankton were preserved in 4 percent formalin in 250 ml bottle. At each station, two replicated samples were collected. The station name, date and time were recorded. Additional field duplicate samples at Station H were also collected and analyzed for QA/QC purposes to check the reproducibility of the laboratory's analytical results, as well as the environmental sample variability and to evaluate the precision of the methods.

The samples were sent to the Center of Excellence for Biodiversity of Peninsular Thailand, Faculty of Science, Prince of Songkla University for identification and counting. The plankton samples were counted in a Sedgwick-Rafter counting slide under the microscope. The identification of phytoplankton was done according to Wongrattana, (2544), Fujioka (1990), Tomas (1997) and Yamaji (1986).

The phytoplankton density was determined for each station with a mean and standard deviation for all stations. In addition, the Diversity index, Evenness Indexand Richness index of each station were calculated (as described above for benthos).



Figure 8: Phytoplankton Collection by Seawater Pumping

Zooplankton and Larvae

Zooplankton were collected with 330 micron plankton net (45 centimeter diameter, 1.5 meter long) at the 5 stations specified in **Figure 1** and **Table 1**. Additional field duplicate samples at Station H were also collected and analyzed for QA/QC purposes to check the reproducibility of the laboratory's



Apsara Petroleum Development, Block A Environmental Impact Assessment



Appendix 4

analytical results, as well as the environmental sample variability and to evaluate the precision of the methods. A flow meter was attached to calculate the amount of sea water passing through the net. The 500 micron plankton net was used to collected fish larvae (see **Figure 9** and **Figure 10**).

The zooplankton from each tow was preserved with 4% formalin. The samples were visually identified according to the images and specifications described in Wongrattana (1998), Santhanam and Srinivasan (1994) and Yamaji (1986). The total amount of zooplankton of each tow was count and calculated to the number of zooplankton per 100m³. The actual density of each station was calculated from the average of 2 tows.

The diversity index was not calculated since zooplankton could not be identified completely to the species level due to the general difficulty of identification of zooplankton, larvae and fish larvae. In previous biological studies submitted to the Office of Environmental Policy and Planning (OEPP) in Thailand, the committee recommend not to calculate diversity indices for those samples which could not be identified down to the species level





Figure 9: Plankton Net with Flow Meter



Appendix 4

Figure 10: Plankton Net Being Cleaned



Document No.: Block A-HES-REG-COPCL-01.0

Page AP4-15

,

f the The

nam ount was

the e. In ould





Cambodia Block A Development Environmental Impact Assessment



Appendix 5

APPENDIX 5: PARTICLE SIZE DISTRIBUTION OF SEDIMENTS IN BLOCK A



CERTIFICATE OF ANALYSIS

CONTACT: MR THER AUNG

CLIENT:

INTERNATIONAL ENVIRONMENTAL MANAGEMENT CO LTD

ADDRESS: 15th FLOOR, SITTHIVORAKIT BUILDING.

5 SOI PIPAT, SILOM ROAD, BANGRAK,

BANGKOK,

THAILAND 10500

PROJECT: CHEVRON BLOCK A

WORK ORDER: HK1026334

SUB-BATCH:

LABORATORY: HONG KONG **DATE RECEIVED:** 06/11/2010

DATE OF ISSUE:

27/11/2010

SAMPLE TYPE:

SEDIMENT

No. of SAMPLES: 13

COMMENTS

Sample(s) were received in a chilled condition.

Particle Size Distribution was subcontracted and tested by Geotechnics & Concrete Engineering (H.K.) Ltd (GCE) GCE details report was attached. The attached report contains a total of 13 pages.

Sample Details

ALS Lab ID	Sample ID	Date of Sampling	GCE Report no.
HK1026334-001	A	25/10/2010	PSD10110071
HK1026334-002	В	26/10/2010	PSD10110072
HK1026334-003	С	26/10/2010	PSD10110073
HK1026334-004	D	26/10/2010	PSD10110074
HK1026334-005	E	26/10/2010	PSD10110075
HK1026334-006	F	27/10/2010	PSD10110076
HK1026334-007	G	27/10/2010	PSD10110077
HK1026334-008	Н	28/10/2010	PSD10110078
HK1026334-009	1	24/10/2010	PSD10110079
HK1026334-010	J	25/10/2010	PSD10110080
HK1026334-011	FSO	25/10/2010	PSD10110081
HK1026334-012	CONTROL	27/10/2010	PSD10110082
HK1026334-024	DUPLICATE-SEDIMENT	01/11/2010	PSD10110083

ISSUING LABORATORY: HONG KONG

Address

ALS Technichem (HK) Pty Ltd

11/F Chung Shun Knitting Centre

1-3 Wing Yip Street

Kwai Chung HONG KONG Phone: 852-2610 1044

852-2610 2021 Fax:

Email: hongkong@alsenviro.com

Mr-Chan Kwok Fai, Godfrey Laboratory Managen - Hong Kong

This report may not be reproduced except with prior written approval from ALS Technichem (HK) Pty Ltd.

Abbreviations: % SPK REC denotes percentage spike recovery

CHK denotes duplicate check sample LOR denotes limit of reporting

LCS % REC denotes Laboratory Control Sample percentage recovery

11/F, Chung Shun Knitting Centre, 1-3 Wing Yip Street, Kwai Chung, N.T., Hong Kong

+852 2610 1044

+852 2610 2021

Part of the ALS Laboratory Group A Campbell Brothers Limited Company

IN ACCORDANCE WITH GEOSPEC 3 : 2001 TEST(S) 8.1 / 8.5 / 8.7

Page 1 of 1

REPORT NO. : PSD10110071

CLIENT* : ALS Technichem (HK) Pty Ltd DATE RECEIVED : 12/11/2010

ADDRESS* : 11/F, Chung Shun Knitting Centre, 1-3 Wing Yip St, Kwai Chung, N.

SITE*

TEST LOCATION : GROUND FLOOR, 20 PAK KUNG STREET, HUNG HOM, KOWLOON

DATE STARTED : 13/11/2010

W.O. NO. *

: --

DATE COMPLETED: 18/11/2010

TEST UNIT NO. : S 10132

SAMPLE TYPE* : BULK

TOB NO HOLE NO.* : GCE/10/164

: --

SAMPLE NO.* : A

CONTRACT NO.* : --


SAMPLE DEPTH* : --

DESCRIPTION

SPEC. DEPTH : --

SAMPLE PREPARATION:

Procedure for sieving test : Method A



The following information are only based on the opinion of the laboratory and are not under the scope of accreditation by HOKLAS :

ANALYSIS OF PARTICLE SIZE CURVE

FINAL SUMMARY

Effective Diameter	(D ₁₀)	=	-	mm	CLAY	*	23	f
Median Diameter	(D _{SO})	=	0.016	mm	SILT	=	69	8
Uniformity Coefficient	$(U = D_{60}/D_{10})$	=	-		SAND	×	8	8
(Ref. : Clause 6.59(4) of Engineering Works	General Specifi	catio	on for C	Civil	GRAVEL	=	0	ક

Note : *Information provided by client Remarks: HK1026334-001

TESTED BY : C.H. CHOY

CHECKED BY :

CERTIFIED BY :

CHEUNG WING TAI

: Lab. Technician : 18/11/2010

DATE

: Reporting Officer : 24/11/2010

POST

: Lab. Manager

Form No.: SOI-P19/R Issue 1 Rev.O (29-03-2010) Page 38 of 40

W.K. Chan

DATE

IN ACCORDANCE WITH GEOSPEC 3 : 2001 TEST(S) 8.1 / 8.5 / 8.7

Page 1 of 1

REPORT NO. : PSD10110072

CLIENT* ADDRESS*

10071

2010

2010

2010

: ALS Technichem (HK) Pty Ltd : 11/F, Chung Shun Knitting Centre, 1-3 Wing Yip St, Kwai Chung, N.

DATE RECEIVED : 12/11/2010

SITE*

: --

TEST LOCATION : GROUND FLOOR, 20 PAK KUNG STREET, HUNG HOM, KOWLOON

CONTRACT NO.* : --

DATE STARTED : 13/11/2010

W.O. NO.* JOB NO.

: GCE/10/164

TEST UNIT NO. : S 10132

DATE COMPLETED: 17/11/2010

SAMPLE TYPE* : BULK

HOLE NO. *

: --

SAMPLE DEPTH* : --


SAMPLE NO. + : B

DESCRIPTION

SPEC. DEPTH : --

SAMPLE PREPARATION:

Procedure for sieving test : Method A



CLAY	Fine	Medium	Coarse	Fine	Medium	Coarse	Fine	Medium	Coarse	Сов-
CLA!		SILT			SAND			GRAVEL		BLES

The following information are only based on the opinion of the laboratory and are not under the scope of accreditation by HOKLAS :

ANALYSIS OF PARTICLE SIZE CURVE

FINAL SUMMARY

Effective Diameter	(D ₁₀)	=	-	mm	CLAY	=	21	*
Median Diameter	(D ₅₀)	=	0.019	mm	SILT	=	67	*
Uniformity Coefficient	$(U = D_{60}/D_{10})$	=			SAND	=	12	*
(Ref. : Clause 6.59(4) of Engineering Works	General Specific (1992))	catio	on for C	Civil	GRAVEL	=	0	*

Note : *Information provided by client Remarks: HK1026334-002

TESTED BY : C.H. CHOY

CHECKED BY :

CERTIFIED BY :

POST

: Lab. Technician

POST

: Reporting Officer

POST

CHEUNG WING TAI : Lab. Manager

: 17/11/2010

DATE

: 24/11/2010

W.K. Chan

DATE

Form No.: SOI-P19/R Issue 1 Rev.O (29-03-2010) Page 38 of 40

IN ACCORDANCE WITH GEOSPEC 3 : 2001 TEST(S) 8.1 / 8.5 / 8.7

Page 1 of 1

REPORT NO.

: PSD10110073

CLIENT*

: ALS Technichem (HK) Pty Ltd

DATE RECEIVED : 12/11/2010

ADDRESS*

: 11/F, Chung Shun Knitting Centre, 1-3 Wing Yip St, Kwai Chung, N.

SITE*

: --

TEST LOCATION : GROUND FLOOR, 20 PAK KUNG STREET, HUNG HOM, KOWLOON CONTRACT NO.* : --

DATE STARTED : 13/11/2010

W.O. NO.*

: --

DATE COMPLETED: 17/11/2010

JOB NO.

TEST UNIT NO. : S 10132

SAMPLE TYPE* : BULK

: GCE/10/164

SAMPLE DEPTH* : --

HOLE NO. * DESCRIPTION


: --

SAMPLE NO. + : C

SPEC. DEPTH : --

SAMPLE PREPARATION:

Procedure for sieving test : Method A



	Fine	Medium	Coarse	Fine	Medium	Coerse	Fine	Medium	Comrse	COB-
CLAY		SILT			SAND		15	GRAVEL	A CONTRACTOR OF THE CONTRACTOR	BLES

The following information are only based on the opinion of the laboratory and are not under the scope of accreditation by HOKLAS :

ANALYSIS OF PARTICLE SIZE CURVE

FINAL SUMMARY

Effective Diameter	(D ₁₀)	=		mm	CLAY		=	22	*
Median Diameter	(D ₅₀)	=	0.018	tom	SILT		п	67	8
Uniformity Coefficient	$(U = D_{60}/D_{10})$	=			SAND		=	11	¥
(Ref. : Clause 6,59(4) of Engineering Works	General Specific (1992))	catio	on for C	ivil	GRAV	EL	=	0	8

Note : *Information provided by client Remarks: HK1026334-003

TESTED BY : C.H. CHOY

CHECKED BY :

CERTIFIED BY :

POST

: Lab. Technician

POST

: Reporting Officer

POST

CHEUNG WING TAI : Lab. Manager

DATE

: 17/11/2010

DATE

: 24/11/2010

W.K. Chan

Form No.: SOI-P19/R Issue 1 Rev.0 (29-03-2010) Page 38 of 40

DATE

IN ACCORDANCE WITH GEOSPEC 3 : 2001 TEST(S) 8.1 / 8.5 / 8.7

Page 1 of 1

REPORT NO. : PSD10110074

CLIENT*

0073

010

010

010

COB-BLES

: ALS Technichem (HK) Pty Ltd

DATE RECEIVED : 12/11/2010

ADDRESS*

: 11/F, Chung Shun Knitting Centre, 1-3 Wing Yip St, Kwai Chung, N.

SITE*

TEST LOCATION : GROUND FLOOR, 20 PAK KUNG STREET, HUNG HOM, KOWLOON

DATE STARTED : 13/11/2010

W.O. NO. * JOB NO.

: --

CONTRACT NO. * : --

DATE COMPLETED: 19/11/2010

HOLE NO.*

: GCE/10/164

TEST UNIT NO. : S 10132

SAMPLE TYPE* : BULK

: --

: --

SAMPLE NO.* : D


SAMPLE DEPTH* : --

DESCRIPTION

SPEC. DEPTH : --

SAMPLE PREPARATION:

Procedure for sieving test : Method A



CLAY	Fine	Medium	Coarse	Fine	Medium	Coarse	Fine	Medium	Coerse	COB-
L		SILT			SAND			GRAVEL		BLES

The following information are only based on the opinion of the laboratory and are not under the scope of accreditation by HOKLAS :

ANALYSIS OF PARTICLE SIZE CURVE

FINAL SUMMARY

Effective Diameter	(D ₁₀)	=	-	mm	CLAY	=	21	8
Median Diameter	(D ₅₀)	•	0.018	mm	SILT	c	67	*
	$(U = D_{60}/D_{10})$				SAND	=	12	8
(Ref. : Clause 6.59(4) of Engineering Works	General Specifi (1992))	catio	on for C	Civil	GRAVEL	=	0	*

Note : *Information provided by client Remarks: HK1026334-004

TESTED BY : C.H. CHOY

CHECKED BY :

: Lab. Technician

POST

: Reporting Officer

PCST

CHEUNG WING TAI : Lab. Manager

DATE

: 19/11/2010

DATE 24/11/2010

: 24/11/2010

Form No.: SOI-P19/R Issue 1 Rev.0 (29-03-2010) Page 38 of 40

W.K. Chan

DATE

IN ACCORDANCE WITH GEOSPEC 3 : 2001 TEST(S) 8.1 / 8.5 / 8.7

Page 1 of 1

REPORT NO. : PSD10110075

CLIENT* : ALS Technichem (HK) Pty Ltd

DATE RECEIVED : 12/11/2010

ADDRESS* : 11/F, Chung Shun Knitting Centre, 1-3 Wing Yip St, Kwai Chung, N.

SITE*

: --

: --

TEST LOCATION : GROUND FLOOR, 20 PAK KUNG STREET, HUNG HOM, KOWLOON

DATE STARTED : 13/11/2010

W.O. NO. *

: --

CONTRACT NO.* : --

DATE COMPLETED: 18/11/2010

JOB NO.

: GCE/10/164

TEST UNIT NO. : S 10132

SAMPLE TYPE* : BULK

HOLE NO. *

SAMPLE NO.* : E


SAMPLE DEPTH* : --

DESCRIPTION : --

SPEC. DEPTH : --

SAMPLE PREPARATION:

Procedure for sieving test : Method A



The following information are only based on the opinion of the laboratory and are not under the scope of accreditation by HOKLAS :

ANALYSIS OF PARTICLE SIZE CURVE

SILT

FINAL SUMMARY

GRAVEL

Effective Diameter	(D ₁₀)	=		mm	CLAY	=	23	*
Median Diameter	(D ₅₀)	=	0.016	mm	SILT	=	65	8
Uniformity Coefficient	$(U = D_{60}/D_{10})$	=			SAND	=	12	*
(Ref. : Clause 6.59(4) of Engineering Works	General Specific	catio	n for C	Civil	GRAVEL	=	0	*

W.K. Chan

SAND

Note : *Information provided by client

Remarks: HK1026334-005

TESTED BY : C.H. CHOY

CHECKED BY :

CERTIFIED BY :

POST DATE

: Lab. Technician : 18/11/2010

POST DATE : Reporting Officer : 24/11/2010

POST DATE

CHEUNG WING TAI : Lab. Manager : 24/11/2010

Form No.: SOI-P19/R Issue 1 Rev.0 (29-03-2010) Page 38 of 40

IN ACCORDANCE WITH GEOSPEC 3 : 2001 TEST(S) 8.1 / 8.5 / 8.7

Page 1 of 1

REPORT NO. : PSD10110076

CLIENT*

0075

010

010

010

: ALS Technichem (HK) Pty Ltd

DATE RECEIVED : 12/11/2010

ADDRESS*

: 11/F, Chung Shun Knitting Centre, 1-3 Wing Yip St, Kwai Chung, N.

SITE*

: :

TEST LOCATION : GROUND FLOOR, 20 PAK KUNG STREET, HUNG HOM, KOWLOON

DATE STARTED : 13/11/2010

W.O. NO. *

: --

CONTRACT NO.* : --

DATE COMPLETED: 17/11/2010

JOB NO.

: GCE/10/164

TEST UNIT NO. : S 10132

SAMPLE TYPE* : BULK

HOLE NO. * DESCRIPTION

: --


SAMPLE NO.* : F

SAMPLE DEPTH* : --

SPEC. DEPTH : --

SAMPLE PREPARATION:

Procedure for sieving test : Method A



CLAY	Fine	Medium	Coarse	Fine	Medium	Coerse	Fine	Medium	Coerse	COB-
		SILT			SAND	The second secon		GRAVEL	1	BLES

The following information are only based on the opinion of the laboratory and are not under the scope of accreditation by ${\tt HOKLAS}$:

ANALYSIS OF PARTICLE SIZE CURVE

FINAL SUMMARY

Effective Diameter	(D ₁₀)	=		mm	CLAY	=	20	8
Median Diameter	(D ₅₀)		0.020	mm	SILT	=	67	8
	$(U = D_{60}/D_{10})$				SAND	=	13	8
(Ref. : Clause 6.59(4) of Engineering Works	General Specifi (1992))	catio	on for C	Civil	GRAVEL	=	0	*

Note : *Information provided by client Remarks: HK1026334-006

TESTED BY : C.H. CHOY

CHECKED BY :

CERTIFIED BY :

CHEUNG WING TAI

POST DATE : Lab. Technician

POST DATE

W.K. Chan : Reporting Officer : 24/11/2010

: Lab. Manager

: 17/11/2010 Form No.: SOI-P19/R Issue 1 Rev.0 (29-03-2010) Page 38 of 40

IN ACCORDANCE WITH GEOSPEC 3 : 2001 TEST(S) 8.1 / 8.5 / 8.7

Page 1 of 1

REPORT NO.

: PSD10110077

CLIENT*

: ALS Technichem (HK) Pty Ltd

DATE RECEIVED : 12/11/2010

ADDRESS*

: 11/F, Chung Shun Knitting Centre, 1-3 Wing Yip St, Kwai Chung, N.

TEST LOCATION : GROUND FLOOR, 20 PAK KUNG STREET, HUNG HOM, KOWLOON CONTRACT NO.* : --

DATE STARTED : 13/11/2010

DATE COMPLETED: 18/11/2010

JOB NO.

TEST UNIT NO. : S 10132

SAMPLE TYPE* : BULK

: GCE/10/164

SAMPLE DEPTH* : --

HOLE NO.*

: --

SAMPLE NO.* : G


SPEC. DEPTH : --

m

SAMPLE PREPARATION:

DESCRIPTION : --

Procedure for sieving test : Method A



Г	Fine	Medium	Coarse	Fine	Medium	Coarse	Fine	Medium	Coerse	CCB-
CLAY		SILT			SAND			GRAVEL		BLES

The following information are only based on the opinion of the laboratory and are not under the scope of accreditation by HOKLAS :

ANALYSIS OF PARTICLE SIZE CURVE

FINAL SUMMARY

Effective Diameter	(D ₁₀)	=	1	mm	CLAY	=	22	8
Median Diameter	(D ₅₀)	=	0.018	mm	SILT	=	66	8
Uniformity Coefficient	$(U = D_{60}/D_{10})$	=			SAND	=	11	\$
(Ref. : Clause 6.59(4) of	General Specific	catio	on for C	Civil	GRAVEL	11	1	*

Note : *Information provided by client Remarks: HK1026334-007

TESTED BY : C.H. CHOY

CHECKED BY :

CERTIFIED BY :

POST

: Lab. Technician

POST DATE : Reporting Officer : 24/11/2010

POST

CHEUNG WING TAI : Lab. Manager

: 18/11/2010 Form No.: SOI-P19/R Issue 1 Rev.0 (29-03-2010) Page 38 of 40

W.K. Chan

DATE

0

10

10

REPORT ON DETERMINATION OF PARTICLE SIZE DISTRIBUTION OF SOIL

IN ACCORDANCE WITH GEOSPEC 3 : 2001 TEST(S) 8.1 / 8.5 / 8.7

Page 1 of 1

REPORT NO. : PSD10110078

CLIENT*

: ALS Technichem (HK) Pty Ltd

DATE RECEIVED : 12/11/2010

ADDRESS*

: 11/F, Chung Shun Knitting Centre, 1-3 Wing Yip St, Kwai Chung, N.

SITE*

: --

TEST LOCATION : GROUND FLOOR, 20 PAK KUNG STREET, HUNG HOM, KOWLOON CONTRACT NO.* : --

DATE STARTED : 13/11/2010

DATE COMPLETED: 19/11/2010

W.O. NO * JOB NO.

: --: GCE/10/164

TEST UNIT NO. : S 10132

SAMPLE TYPE* : BULK

SAMPLE DEPTH* : --

HOLE NO. * DESCRIPTION : --

: --


SAMPLE NO.* : H

SPEC. DEPTH : --

m

SAMPLE PREPARATION:

Procedure for sieving test : Method A



CLAY	Fine	Medium	Coarse	Fine	Medium	Coerse	Fine	Medium	Coarse	сов-
CLAT	Salar de la companya	SILT			SAND			GRAVEL		BLES

The following information are only based on the opinion of the laboratory and are not under the scope of accreditation by HOKLAS :

ANALYSIS OF PARTICLE SIZE CURVE

FINAL SUMMARY

Effective Diameter	(D ₁₀)	=		mm	CLAY	=	20	*
Median Diameter	(D ₅₀)	=	0.018	mm	SILT	=	68	8
Uniformity Coefficient	$(U = D_{60}/D_{10})$	=			SAND	×	11	*
(Ref. : Clause 6.59(4) of Engineering Works	General Specific (1992))	catio	on for C	Civil	GRAVEL	=	1	*

Note : *Information provided by client Remarks: HK1026334-008

TESTED BY : C.H. CHOY

CHECKED BY :

CERTIFIED BY :

CHEUNG WING TAI

: Lab. Technician

POST DATE

: Reporting Officer : 24/11/2010

W.K. Chan

POST DATE

: Lab. Manager

: 19/11/2010

Form No.: SOI-P19/R Issue 1 Rev.0 (29-03-2010) Page 38 of 40

TEST LOCATION : GROUND FLOOR, 20 PAK KUNG STREET, HUNG HOM, KOWLOON

IN ACCORDANCE WITH GEOSPEC 3 : 2001 TEST(S) 8.1 / 8.5 / 8.7

Page 1 of 1

REPORT NO. : PSD10110079

CLIENT* : ALS Technichem (HK) Pty Ltd DATE RECEIVED : 12/11/2010

ADDRESS* : 11/F, Chung Shun Knitting Centre, 1-3 Wing Yip St, Kwai Chung, N.

STTE*

: --

W.O. NO.* : --

DATE STARTED : 13/11/2010

m

CONTRACT NO.*: --DATE COMPLETED: 17/11/2010


: GCE/10/164 JOB NO. HOLE NO. * : --

TEST UNIT NO. : S 10132 SAMPLE TYPE* : BULK SAMPLE DEPTH* : --SAMPLE NO.* : I

DESCRIPTION SPEC. DEPTH : --

SAMPLE PREPARATION:

Procedure for sieving test : Method A



CLAY	Fine	Medium	Coerse	Fine	Medium	Coarse	Fine	Medium	Coerse	COB-
CLAY		SILT		SAND				GRAVEL		BLES

The following information are only based on the opinion of the laboratory and are not under the scope of accreditation by HOKLAS :

ANALYSIS OF PARTICLE SIZE CURVE

FINAL SUMMARY

Effective Diameter	(D ₁₀)	=		mm	CLAY	143	22	*
Median Diameter	(D ₅₀)	= 1	0.018	mm	SILT	=	68	*
Uniformity Coefficient	$(U = D_{60}/D_{10})$	=	-		SAND	put	10	*
(Ref. : Clause 6.59(4) of Engineering Works	General Specific (1992))	catio	on for C	Civil	GRAVEL	=	0	*

Note : *Information provided by client Remarks: HK1026334-009

TESTED BY : C.H. CHOY

CHECKED BY :

CERTIPIED BY :

CHEUNG WING TAT

: Lab. Technician POST : 17/11/2010 DATE

POST DATE : Reporting Officer

W.K. Chan

POST

: Lab. Manager

: 24/11/2010

DATE

Porm No.: SOI-P19/R Issue 1 Rev.0 (29-03-2010) Page 38 of 40

IN ACCORDANCE WITH GEOSPEC 3 : 2001 TEST(S) 8.1 / 8.5 / 8.7

Page 7 of 1

REPORT NO. : PSD10110080

CLIENT*

: ALS Technichem (HK) Pty Ltd

ADDRESS*

0079

010

010

010

: ll/F, Chung Shun Knitting Centre, 1-3 Wing Yip St, Kwai Chung, N.

DATE RECEIVED : 12/11/2010

SITE*

: --

DATE STARTED : 13/11/2010

TEST LOCATION : GROUND FLOOR, 20 PAK KUNG STREET, HUNG HOM, KOWLOON W.O. NO.*

: --

CONTRACT NO.*: --

DATE COMPLETED: 17/11/2010

SAMPLE TYPE* : BULK

JOB NO.

: GCE/10/164

TEST UNIT NO. : S 10132

SAMPLE DEPTH* : --

HOLE NO. .

: --


SAMPLE NO.* : J

SPEC. DEPTH : --

DESCRIPTION

SAMPLE PREPARATION:

Procedure for sieving test : Method A



CLAY	Fine	Medium	Coarse	Fine	Medium	Coerse	Fine	Medium	Coarse	COB-
CLAI		SILT			SAND			GRAVEL	15. m 154 m 15-15 a 17 (15.	BLES

The following information are only based on the opinion of the laboratory and are not under the scope of accreditation by HOKLAS :

ANALYSIS OF PARTICLE SIZE CURVE

FINAL SUMMARY

Effective Diameter	(D ₁₀)	=	_	mm	CLAY	=	19	*
Median Diameter	(D ₅₀)	=	0.019	mm	SILT	*	73	*
Uniformity Coefficient	$(U = D_{60}/D_{10})$	=	Y <u>-11-10</u>		SAND	=	8	8
(Ref. : Clause 6.59(4) of Engineering Works	General Specific	catio	on for C	Civil	GRAVEL	=	0	*

Note : *Information provided by client Remarks: HK1026334-010

TESTED BY : C.H. CHOY

CHECKED BY :

CERTIFIED BY :

CHEUNG WING TAI

POST DATE : Lab. Technician : 17/11/2010

POST DATE : Reporting Officer : 24/11/2010

W.K. Chan

POST DATE : Lab. Manager

Form No.: SOI-P19/R Issue 1 Rev.0 (29-03-2010) Page 38 of 40

IN ACCORDANCE WITH GEOSPEC 3 : 2001 TEST(8) 8.1 / 8.5 / 8.7

Page 1 of 1

REPORT NO. : PSD10110081

CLIENT*

: ALS Technichem (HK) Pty Ltd

DATE RECEIVED : 12/11/2010

ADDRESS*

: 11/F, Chung Shun Knitting Centre, 1-3 Wlny Yip St, Kwai Chung, N.

SITE*

: --

TEST LOCATION : GROUND FLOOR, 20 PAK KUNG STREET, HUNG HOM, KOWLOON

CONTRACT NO.* : --

DATE STARTED : 13/11/2010

W.O. NO.*

: --

TEST UNIT NO. : S 10132

DATE COMPLETED: 17/11/2010

m

JOB NO.

: GCE/10/164

SAMPLE TYPE* : BULK

HOLE NO.*

: --


SAMPLE NO.* : FSO

SAMPLE DEPTH* : --SPEC. DEPTH : --

DESCRIPTION : --

SAMPLE PREPARATION:

Procedure for sieving test : Method A



Medium Coarse Medium Coerse Fine Medium Coarse C08-Fine CLAY GRAVEL SILT SAND

The following information are only based on the opinion of the laboratory and are not under the scope of accreditation by HOKLAS :

ANALYSIS OF PARTICLE SIZE CURVE

FINAL SUMMARY

Effective Diameter	(D ₁₀)	=	-	mm	CLAY	=	22	8
Median Diameter	(D ₅₀)	=	0.016	mm	SILT	=	71	*
Uniformity Coefficient	$(U = D_{60}/D_{10})$	=			SAND	=	7	*
(Ref. : Clause 6.59(4) of Engineering Works	General Specific (1992))	catio	on for 0	Civil	GRAVEL	=	0	*

Note : *Information provided by client Remarks: HK1026334-011

TESTED BY : C.H. CHOY

CHECKED BY :

CERTIFIED BY :

CHEUNG WING TAI

POST DATE : Lab. Technician : 17/11/2010

POST DATE : Reporting Officer : 24/11/2010

POST DATE : Lab. Manager

Form No.: SOI-P19/R Issue 1 Rev.O (29-03-2010) Page 38 of 40

W.K. Chan

IN ACCORDANCE WITH GEOSPEC 3 : 2001 TEST(S) 8.1 / 8.5 / 8.7

: ALS Technichem (HK) Pty Ltd

Page 1 of 1

REPORT NO. : PSD10110082

FINAL SUMMARY

: 24/11/2010

DATE

DATE RECEIVED : 12/11/2010

DATE STARTED : 13/11/2010

ADDRESS* : 11/F, Chung Shun Knitting Centre, 1-3 Wing Yip St, Kwai Chung, N.

SITE* : --

CLIENT*

W.O. NO.*

.0081

010

010

010

BLES

TEST LOCATION : GROUND FLOOR, 20 PAK KUNG STREET, HUNG HOM, KOWLOON

CONTRACT NO.*: -- DATE COMPLETED: 17/11/2010

JOB NO. : GCE/10/164 TEST UNIT NO. : S 10132 SAMPLE TYPE* : BULK


HOLE NO.* : -- SAMPLE NO.* : CONTROL SAMPLE DEPTH* : --

DESCRIPTION : -- m

SAMPLE PREPARATION:

Procedure for sieving test : Method A

: --



CLAY	Fine	Medium	Coerse	Fine	Medium	Coarse	Fine	Medium	Coarse	COB-
CLAT		SILT			SAND			GRAVEL		BLES

The following information are only based on the opinion of the laboratory and are not under the scope of accreditation by HOKLAS:

ANALYSIS OF PARTICLE SIZE CURVE

Effective Diameter (D_{10}) = — mm CLAY = 19 % Median Diameter (D_{50}) = 0.018 mm SILT = 71 % Uniformity Coefficient $(U = D_{60}/D_{10})$ = — SAND = 10 % (Ref. : Clause 6.59(4) of General Specification for Civil GRAVEL = 0 %

Note: *Information provided by client Remarks: HK1026334-012

DATE : 17/11/2010 DATE : 24/11/2010 Form No.: SOI-P19/R Issue 1 Rev.0 (29-03-2010) Page 38 of 40

IN ACCORDANCE WITH GEOSPEC 3 : 2001 TEST(S) 8.1 / 8.5 / 8.7

Page 1 of 1

REPORT NO. : PSD10110083

CLIENT*

: ALS Technichem (HK) Pty Ltd

DATE RECEIVED : 12/11/2010

ADDRESS*

: 11/F, Chung Shun Knitting Centre, 1-3 Wing Yip St, Kwai Chung, N.

SITE*

TEST LOCATION : GROUND FLOOR, 20 PAK KUNG STREET, HUNG HOM, KOWLOON

DATE STARTED : 13/11/2010

W.O. NO.*

: --

CONTRACT NO.* : --

DATE COMPLETED: 17/11/2010

JOB NO.

: GCE/10/164

TEST UNIT NO. : S 10132

SAMPLE TYPE* : BULK

HOLE NO.*

SAMPLE DEPTH* : --

: --

SAMPLE NO.* : --


DESCRIPTION

SPEC. DEPTH : --

m

SAMPLE PREPARATION:

Procedure for sieving test : Method A



The following information are only based on the opinion of the laboratory and are not under the scope of accreditation by HOKLAS :

ANALYSIS OF PARTICLE SIZE CURVE

FINAL SUMMARY

Effective Diameter	(D ₁₀)	=	-	mm	CLAY	=	23	*
Median Diameter	(D ₅₀)	=	0.016	mm	SILT	=	66	*
Uniformity Coefficient	$(U = D_{60}/D_{10})$	=			SAND	=	11	8
(Ref. : Clause 6.59(4) of Engineering Works	General Specific (1992))	catio	on for C	Civil	GRAVEL	=	0	*

Note : *Information provided by client Remarks: HK1026334-024, Sample ID : DUPLICATE - SEDIMENT

TESTED BY : C.H. CHOY

CHECKED BY : W.K. Chan CERTIFIED BY :

CHEUNG WING TAI

POST DATE

: Lab. Technician : 17/11/2010

POST

: Reporting Officer

POST

: Lab. Manager

DATE

: 24/11/2010

DATE

: 24/11/2010

Form No.: SOI-P19/R Issue 1 Rev.0 (29-03-2010) Page 38 of 40





Appendix 6

APPENDIX 6: COMPLETE LIST OF BENTHOS SPECIES

Benthos Species Present in the Project Area

The applications of the second	Dentinos opt	cies Present in the Project Area
No.	Species of Benthos	No. Species of Benthos
	Phylum Annelida	Family Dorvilleidae
	Class Polychaeta	20 Dorvilleidae sp.1
	Subclass Scolecida	Family Eunicidae
	Family Capitellidae	21 Eunicidae sp.1
1	Capitellidae sp.1	22 Eunicidae sp.2
2	Capitellidae sp.2	Family Lumbrineridae
3	Capitellidae sp.3	23 Lumbrineridae sp.1
4	Capitellidae sp.4	24 Lumbrineridae sp.2
5	Capitellidae sp.5	25 Lumbrineridae sp.3
6	Capitellidae sp.6	Family Oenonidae
7	Capitellidae sp.7	26 Oenonidae sp.1
8	Capitellidae sp.8	27 Oenonidae sp.2
9	Capitellidae sp.9	Family Onuphidae
10	Capitellidae sp.10	28 Onuphidae sp.1
	Family Maldanidae	29 Onuphidae sp.2
11	Maldanidae sp.1	30 Onuphidae sp.3
12	Maldanidae sp.2	Suborder Amphinomida
13	Maldanidae sp.3	Family Amphinomidae
14	Maldanidae sp.4	31 Amphinomidae sp.1
	Family Ophellidae	Suborder Phyllodocida
15	Ophellidae sp.1	Family Glyceridae
	Family Orbinidae	32 Glyceridae sp.1
16	Orbinidae sp.1	33 Glyceridae sp.2
17	Orbinidae sp.2	Family Goniadidae
18	Orbinidae sp.3	34 Goniadidae sp.1
	Family Paraonidae	35 Goniadidae sp.2
19	Paraonidae sp.1	Family Nephtyidae
	Subclass Palpata	36 Nephtyidae sp.1
	Order Aciculata	37 Nephtyidae sp.2
	Suborder Eunicida	38 Nephtyidae sp.3



Cambodia Block A Development Environmental Impact Assessment



No.	Species of Benthos	No.	Species of Benthos
39	Nephtyidae sp.4	62	Spionidae sp.8
39	Family Nereididae		Suborder Terebellida
40	Nereididae sp.1		Family Ampharetidae
41	Nereididae sp.2	63	Ampharetidae sp.1
41	Family Paralacydoniidae	64	Ampharetidae sp.2
42	Paralacydoniidae sp.1	65	Ampharetidae sp.3
42	Family Phyllodocidae	66	Ampharetidae sp.4
43	Phyllodocidae sp.1		Family Cirratulidae
43	Family Pilargidae	67	Cirratulidae sp.1
44	Pilargidae sp.1	68	Cirratulidae sp.2
45	Pilargidae sp.2	69	Cirratulidae sp.3
46	Pilargidae sp.3		Family Flabelligeridae
40	Family Polynoidae	70	Flabelligeridae sp.1
47	Polynoidae sp.1		Family Sternaspidae
	Family Sigalionidae	71	Sternaspidae sp.1
48	Sigalionidae sp.1		Family Terebellidae
49	Sigalionidae sp.2	72	Terebellidae sp.1
43	Family Syllidae		Family Trichobranchidae
50	Syllidae sp.1	73	Trichobranchidae sp.1
	Subclass Palpata		Phylum Arthropoda
	Order Canalipalpata		Class Pycnogonida
	Suborder Sabellida		Order Pantopora
	Family Sabellidae		Family Pycnogonidae
51	Sabellidae sp.1	74	Pycnogonidae sp.1
	Suborder Spionida		Class Crustacea
	Family Chaetopteridae		Order Amphipoda
52	Chaetopteridae sp.1		Family Ampeliscidae
	Family Magelonidae	. 75	Ampelisca sp.
53	Magelonidae sp.1	76	Byblis sp.
	Family Poecilochaetidae	77	Ampeliscidae sp.1
54	Poecilochaetidae sp.1	78	Ampeliscidae sp.2
	Family Spionidae	79	Ampeliscidae sp.3
55	Spionidae sp.1	80	Ampeliscidae sp.4
56	Spionidae sp.2	81	Ampeliscidae sp.5
57	Spionidae sp.3	82	Ampeliscidae sp.6
58	Spionidae sp.4	83	Ampeliscidae sp.7
59	Spionidae sp.5	84	Ampeliscidae sp.8
60	Spionidae sp.6	85	Ampeliscidae sp.9
61	Spionidae sp.7	86	Ampeliscidae sp.10



Cambodia Block A Development Environmental Impact Assessment



No.	Species of Benthos	No.	Species of Benthos
87	Ampeliscidae sp.11		Family Alpheidae
88	Ampeliscidae sp.12	113	Alpheidae sp.
89	Ampeliscidae sp.13	114	Alpheidae sp.1
90	Ampeliscidae sp.14	115	Alpheidae sp.2
91	Ampeliscidae sp.15	116	Alpheidae sp.3
	Family Haustoriidae	117	Alpheidae sp.4
92	Haustoriidae sp.1	118	Alpheidae sp.5
	Family Isaeidae		Family Axiidae
93	Isaeidae sp.1	119	Axiidae sp.1
94	Isaeidae sp.2	120	Axiidae sp.2
4.	Family Leucothoidae		Family Eriphiidae
95	Leucothoidae sp.1	121	Eriphiidae sp.2
96	Leucothoidae sp.2		Family Goneplacidae
	Family Lysianassidae	122	Goneplacidae sp.1
97	Lysianassidae sp.1	123	Goneplacidae sp.2
98	Lysianassidae sp.2		Family Hippolytidae
	Family Oedicerotidae	124	Hippolytidae sp.1
99	Oedicerotidae sp.1		Family Leucosiidae
	Order Cumacea	125	Leucosiidae sp.1
	Family Bodotriidae		Family Palaemonidae
100	Bodotriidae sp.1	126	Palaemonidae sp.1
101	Bodotriidae sp.2	127	Palaemonidae sp.2
	Family Diastylidae	128	Palaemonidae sp.3
102	Diastylidae sp.1		Family Pandalidae
103	Diastylidae sp.2	129	Pandalidae sp.1
	Family Gynodiastylidae		Family Phasiphaeidae
104	Gynodiastylidae sp.1	130	Phasiphaeidae sp.1
	Family Kalliapseudidae		Family Pinnotheridae
106	Kalliapseudidae sp.1	131	Pinnotheridae sp.1
107	Kalliapseudidae sp.2		Family Portunidae
	Family Leuconidae	132	Portunidae sp.1
108	Leuconidae sp.1	133	Portunidae sp.2
	Family Nannastacidae		Family Processidae
109	Nannastacidae sp.1	134	Processidae sp.1
	Order Decapoda		Family Upogebiidae
	Family Callianassidae	135	Upogebiidae sp.1
110	Callianassidae sp.1	136	Upogebiidae sp.2
111	Callianassidae sp.2		Family Xanthidae
112	Callianassidae sp.3	137	Xanthidae sp.1



Cambodia Block A Development Environmental Impact Assessment



MARKET AND AND ADDRESS OF THE PARTY OF THE P		
No.	Species of Benthos	No. Species of Benthos
138	Xanthidae sp.2	162 Nemertea sp.
139	Xanthidae sp.3	163 Nemertea sp.1
	Order Isopoda	Class Anolpia
	Family Anthuridae	Order Palaeonemertea
140	Anthuridae sp.1	Family Tubulanidae
141	Anthuridae sp.2	164 Tubulanidae sp.1
	Family Cirolanidae	165 Tubulanidae sp.2
142	Cirolanidae sp.1	Order Heteronemertea
	Family Gnathidae	Family Lineidae
143	Gnathidae sp.1	166 Lineidae sp.1
144	Gnathidae sp.2	Phylum Sipuncula
	Order Ostracoda	Class Sipunculidea
	Family Cypridinidae	Order Golfingiformes
145	Cypridinidae sp.1	Family Themistidae
146	Cypridinidae sp.2	167 Themistidae sp.1
	Order Mysidacea	Family Phascolionidae
147	Mysidacea sp.1	168 Phascolionidae sp.1
148	Mysidacea sp.2	169 Phascolionidae sp.2
149	Mysidacea sp.3	170 Phascolionidae sp.3
	Order Stomatopoda	Class Phascolosomatidea
	Family Nannosquillidae	Order Phascolosomatiformes
150	Nannosquillidae sp.	Family Phascoosomatidae
151	Nannosquillidae sp.1	171 Phascolosomatidae sp.1
152	Nannosquillidae sp.2	172 Phascolosomatidae sp.2
	Family Squillidae	Order Aspidosiphoniformes
153	Squillidae sp.1	Family Aspidosiphonidae
154	Squillidae sp.2	173 Aspidosiphonidae sp.1
155	Squillidae sp.3	174 Aspidosiphonidae sp.2
156	Squillidae sp.4	Phylum Mollusca
157	Squillidae sp.5	Class Aplacophora
	Order Tanaidacea	Order Cavibelonia
158	Tanaidacea sp.	Family Simrothiellidae
159	Tanaidacea sp.1	_175 Simrothiellidae sp.1
	Phylum Cnidaria	Class Bivalvia
	Class Anthozoa	176 Bivalvia sp.
160	Actinaria sp.	Order Limoida
	Phylum Nematoda	Family Limidae
161	Nematoda sp.1	177 Limidae sp.1
	Phylum Nemertea	Phylum Echinodermata



Cambodia Block A Development Environmental Impact Assessment



No.	Species of Benthos	No. Species of Benthos
	Class Ophiuroidea	
178	Ophiuroidea sp.1	
179	Ophiuroidea sp.2	
	Order Ophiurida	
	Family Amphiuridae	
180	Amphiuridae sp.1	
181	Amphiuridae sp.2	
182	Amphiuridae sp.3	
183	Amphiuridae sp.4	
184	Amphiuridae sp.5	
185	Amphiuridae sp.6	





Cambodia Block A Development Environmental Impact Assessment



Appendix 7

APPENDIX 7: BROCHURE FROM PUBLIC PARTICIPATION ACTIVITIES


hevror

សម្រាប់សំស្សអនុវិទ្យាល័យនៅមូលដ្ឋានមួយផងដែរ។ មកពីឃុំចំនួន ៩។ បន្ថែមពីលើនេះ ក្រុមហ៊ុនឈេហ្វរុនកកំពុងសាងសង់បណ្ណាល័យថ្មីមួយ អនុវត្តទៅលើក្រុមគ្រួសារកម្មករទេសាទដែលជួបការលំបាក ចំនួន ៤០០គ្រួសារ អង្គការជេក (Pact) ដែលជាអង្គការមិនមែនរដ្ឋាភិបាលអន្តរជាតិមួយ ទាំងនាពេលបច្ចុប្បន្ន និងទាំងពេលអនាងព ។ ក្រុមហ៊ុនឈេហ៊ូរ៉ុន បានចាប់ដៃគូជាមួយ ទិកខ្លែងដែលពួកយើងធ្វើការ ឱ្យបានក្នុងកម្រិតអតិបរមា សម្រាប់មនុស្សគ្រប់ជំនាន់ ជាច្រើនទៀត។ នៅតាមបណ្តានហេត្រាសរបស់យើងខ្ញុំនៅជូខាំងពិកពលោក លើការលើកកម្ពស់សុខភាព អក្ខាកម្ម និងឥនិតផ្ដួចផ្ដើមបង្កើនប្រាក់ចំណុល ត្រូវបាន ពីគ្រួសារអ្នកនេសាមចំនួន ៧០០គ្រួសារ។ នៅដើមឆ្នាំ២០១០ កម្មវិធីរយៈពេល២ឆ្ន មេរោកអេដស៍ និងជំងឺអេដស៍ បានចាប់ដំណើរការក្នុងឆ្នាំ២០០៩ ដោយមានការចូលរួម ក្នុងខេត្តព្រះសីហនុ។ កម្មវិធីការលើកកម្ពស់ការយល់ដឹង និងកម្មវិធីព្យាបាលអ្នកផ្ទុំរ មានជំនឿថ្មកចក្ត ក្នុងការបង្កើនផលជាវិជ្ជមាននៃប្រតិបត្តិការរបស់យើងខ្ញុំ ការអាជីវកម្មរបស់ក្រុមហ៊ុនលេហ៊ូរុន និងជាគុលាកម្លៃមួយនៃគុលាកម្លៃដីវិសេសវិសាល ការទទួលខុសព្រូវផ្នែកសង្គមរបស់ក្រុមហ៊ុន គឺជាមូលដ្ឋានគ្រឹះនៃដំណើ និងបានដាក់ចេញឱ្យប្រើប្រាស់នូវតម្រោង រង្សង្វនា ยนเลย


្រុមហ៊ុនឈ្មេរ៉ូន ផែមថាមានទៀថនបាកាសម្រាបអាជ្ញាធ្វេក មេដ្ឋាន មេដ្ឋានម្បាប់មេដុក្ស មេដុក្ស មេដូក្ស មេដូក្រី មេដូក្ស មេងក្រុក មេដូក្ស មេដូក្ស មេងក្រូក មេដូក្ស មេ



សម្រាប់ពតិមានបន្ថែម : ម្រុះស្និនះឈមស្នរ៉ិន អូរទើស្នី គេគ្រូរស្នេរ៉ិន (ខេន់ម្ខងា) សីនីនីត លេខ ២៨ ផ្លូវ ៣១០ សង្កាត់បឹងកេងកង ១ ខណ្ឌចំការមន រាជធានីភ្នំពេញ ប្រអប់សំបុត្រលេខ ១៦១៩ ប្រទេសកម្ពុជា គីរ៉េមល : InfoBlockA@chevron.com



ការអភិវឌ្ឍន៍ធនធានថាមពលនៅលើពិកពលោក បានលើកកម្ពស់យ៉ាងខ្លាំង នូវដុណាកាលើវិកប្រជាជននៅលើពិកពលោក។ ការអភិវឌ្ឍន៍នេះបានដើរត្តនាមីយ៉ាង សំខាន់ក្នុងការធ្វើឱ្យមានកំណើន និងស្ថិរភាព នៃសេដ្ឋកិច្ចកើតខ្លី សេដ្ឋកិច្ចដែលទើបនឹង ប៉ុក្តែពង្វាមានស្សាហកម្មដោនស្រឹមថ្មីៗ បង្កើតនលិតផល និងសេវិភាព នៃសេដ្ឋកិច្ចកែនលិតផល និងសេវិភាព នៃសេដ្ឋកិច្ចកែនលិតផល និងសេវិភា កាន់តែច្រើនសម្រាប់អតិថិជន បង្កើតឱ្យមានឲ្យហហកម្មដោនស្រឹមថ្មីៗ បង្កើតផលិតផល និងសេវិភា កាន់តែច្រើនសម្រាប់អតិថិជន បង្កើតឱ្យមានចិជ្ជានៅចេញ និងធ្វើឱ្យស្នង់ដារជីវិតរស់នៅ កាន់តែច្រើនសម្រាប់អតិថិជន បង្កើតឱ្យមានចិជ្ជានាំចេញ និងធ្វើឱ្យស្នង់ដារជីវិតរស់នៅ កាន់តែប្រសិវឌ្ឍន៍ប្រការកា (Block A) ដើម្បីជួយជំរុញឱ្យវិស័យថាមកលនៅ ប្រទេសកម្ពុជាកាន់កែប្រសើរឡើង។ (Block A) ដើម្បីជួយជំរុញឱ្យវិស័យថាមកលនៅ ប្រទេសកម្ពុជាកាន់កែប្រសើរឡើង។




ម្រុមចំនុះឈច្ស៉ូន រុះទេស៊ី គេគ្រួលទ្រ (ខេមចុនា) សីទីនិត Chevron Overseas Petroleum (Cambodia) Ltd.

ពង៌មានសម្វេបវេពីអ្នងនៀនឈម្លាំន (Chevron)

ដែលមានសាខាធ្វើអាជីវកម្មនៅកាសពេញពិភពលោក។ ជោគជ័យរបស់ក្រុមហ៊ុនបានមក ដោយសារភាពសាត់ជំនាញនិងការប្តេជ្ញាចិត្ត នៃនិយោជិតរបស់ខ្លួន ជាមួយនឹងការអនុវត្តន៍ ក្រុមហ៊ុនឈេហ្វ៊ុនធ្វើការខ្លុងអណ្តង កេទីផ្សារលក់ និងចែកចាយការដឹកជញ្ជូនប្រេងឥទ្ធនៈ និងផលិតផលថាទពលផ្សេង១ទៅក លេហ្ស៊ុនគឺជាក្រុមហ៊ុនថាមពលបែបសមាហរណកម្មនាំមុខគេក្នុងពិភពលោក ក្រុមហ៊ុនឈេហ៊ុនជាប់ពាក់ព័ន្ធលើ បមើតថាមពល និងជំលិតថាមពល ដែលបានមកពីកំដៅផែនដី ផ្ដល់នូវដំណោះស្រាយថាមពលយ៉ាងមានប្រសិទ្ធភាព ហើយនិង ធ្វើការចំរាក់ អភិវឌ្ឍន៍ធនធានថាមពលសំរាប់ពេលអនាគត រួមទាំងផលិតផលជីវៈឥទ្ធន:។ ลินลุญัล<u>ตษู</u>นำดิ ផលិត ព្រមទាំងដឹកជញ្ជូនប្រេងដៅ គេប់វិស័យសំខាន់១ទាំងអស់ក្នុងឧស្សាកម្មថាមពល។ ធើការជលិត និងលក់ផលិតផលគេលំសិលាគីមី សេងរករក

ព្រុមហ៊ុនឈេហ៊ុន បាននិងកំពុមធ្វើការប្រកបដោយស៊ុវត្ថិកាត និង-មានប្រសិទ្ធភាព នៅឈ្មងសមុទ្រថៃចាប់កាំងពីទសវត្សរ៍ទី ៦០ ហើយ ក្រុមហ៊ុនគឺជាប្រតិបត្តិការផ្នែកប្រង និងឧស្ថ័នធម្មជាតិន៏ធំបំផុតនៅក្នុងកំបន់នេះ។ ក្រុមហ៊ុនឈេហ៊ូវត្ថប្រគិបត្តិការប្រមជាង ២៣៨ ផ្លាតហូម (platforms) និងពានធ្វើការ



នាវាផ្ទុំពេច្រងបណ្ដែត (FSO)

ខ្លួងអណ្តូងប្រេងជាង ៤.២៨៥ អណ្តូងប្រេងកាត នៅក្នុងឈ្នេងសង្គទថៃ ដែលមាន-ដល់តកម្មប្រេងមធ្យមសរុបប្រមាណ ជា ៧៣.៥០០ ធុង នឹងប្រេងកំណុក ៣៤.០០០ ធុង និងឧស្ម័នធម្ពុជាតិប្រមាណជា ១.១ កោដិហ្វីតគូប (1.1 billion gross cubic feet) ក្នុងមួយថ្ងៃ ១។

> PROPOSED APSARA FIELD DEVELOPMENT PLAN

ಇಗಿಗಿಲ್ಲೊಸ್ಟ್ ಸ್ಟ್ರೆಕ್ಟ್ಯಾ

ព្រមហ៊ុនឈេហ្ស៊ុន មានដែនការអភិវឌ្ឍន៍តំបន់ប្អូកអា (Block A) នៅក្នុងសមុទ្រកម្ពុជាដើម្បីដំលិកប្រេង។ តំបន់ប្លុកអា (Block A) ស្ថិតនៅប្រហែលជា ១៥៧ គីឡូម៉ែត្រ ខាងត្បូងផ្សេងខាងលិច (ចិសនិវតី) នៃខេត្តព្រះសីហនុ និងជាតំបន់ ដែលគ្របដំល្អប៉េស៊ីវឌ្ឍកឡាចំនួន ៤.៧០៩ គីឡូវម៉ែត្រការ៉េ ។

ព្រុមហ៊ុនឈេហ្ស៊ុន ១ទូលបានកិច្ចព្រមព្រៀងប្រេងកាតេសម្រាប់ប្អុកអា ពាំងពីឆ្នាំ ២០០២ ម៉្នេះ។ ក្រុមហ៊ុនឈេហ្ស៊ុនគឺជាប្រតិបត្តិការតែប្តូកអា ដែលត្រូវបាន កាន់កាប់ផលប្រយោជន៍នៅក្រោមកិច្ចព្រមព្រៀងប្រេងកាត ជាមួយដៃគ្នាមមាន : ក្រុមហ៊ុន Moeco Cambodia Co., Ltd., GS Caltex Corporation និង KrisEnergy (Cambodia) Limited។ ចាប់គាំងពីឆ្នាំ ២០០២ ក្រុមហ៊ុនឈេហ្ស៊ុន និងដិត្តរបស់ខ្លួនបានចំណាយប្រាក់ប្រមាណ ១៦០លានដុំល្ខារ ដើម្បីខ្លួងអណ្តូងរុករក និងខ្លួងអណ្តូងវាយឥរិថ្ម ចំនួន ១៨អណ្តឹង និងធ្វើការវាយតថ្លៃអំពីសក្កានុពល របស់ប្តូកអា។ អណ្តូងទាំងនេះត្រូវបានខ្លួងដោយជោគជ័យ និងប្រកបដោយប្រសិទ្ធិផល និងពុំមានឱប្បត្តិបែបគុខាក់ខងនឹងបរិស្ថាន ឬ សុវត្ថិកាពថ្ងឺកើតឡើងឡើយ ។

នម្រោងនឹងព្រូវបានអភិវឌ្ឍនឹងបើដំណាក់កាល។ សម្រាប់ដំណាក់កាលដំបូង គឺដំណាក់កាល ១៣ (Phase 1A) ទីងរួមមានផ្លាកហ្វមប្រព្រឹត្តកម្ម នាវាផ្ទុកប្រេងបណ្តែត

" PRACTIC


(FSO) និងបំពង់បង្អូរប្រេងរវាងផ្លាតហ្វេមទៅនឹងនាវាផ្ទុកប្រេងបរំណ្ឌត។ ផ្លាតហ្វេម ផលិតកម្មរហូតចំនួន៩ខ្សែតកាចនឹងត្រូវបានជំរុច្ឆាំងជាបន្ទបទ្ទាប់នៅក្នុងដំណាក់កាល ១ខ (Phase 1B) និង១គ (Phase 1C) ដែលការនេះគឺអាស្រ័យលើជោគជ័យកាណិជ្ជកម្ម ផិដណាក់កាល ១គ (Phase 1A) ។

មូលដ្ឋានផ្គត់ផ្គង់សម្ភារៈលើនីកោកមួយដែលស្ថិតនៅក្នុងកំពង់ដៃស្វ័យត ក្រុងព្រះសីហនុនឹងត្រូវយកមកប្រើប្រាស់ដើម្បីមួយគាំទ្រដល់ប្រតិបន្តិការរបស់ប្តុកអា។ ក្រៅពីមានចរាចរដោយឧទ្ធម្ភាគចក្រពិខេត្តព្រះសីហនុមកកាន់នាវាផ្គុកប្រុងបរំណួត (FSO) ក៏នឹងមានចរាចរនាវាពីកំពង់ដៃស្វ័យគក្រុងព្រះសីហនុ ដាកន្លែងដែលសំការៈបវិក្ខារសម្រាប់ គម្រោងនឹងត្រូវបានរក្សាទុក ទៅកាន់ទីតាំងប្រតិបត្តិការនៅឯទាយសមុទ្រផងដែរ។ តម្រោមនេះព្រះវិបានរៀបចំបម្កើតឡើងដោយគោរពត្យមួបទបញ្ជូត្តិ និងបទដ្ឋានពាក់ព័ន្ធទាំងអស់វិដិលនៅជានោង។ ដែនការសម្រាប់មិណាក់កាល ១ ក (Phase 1A) នឹងរាប់បញ្ចូលអណ្តូង អភិវឌ្ឍន៍ចំនួន ២៤ ហើយអណ្តងជាម ៣០០ខេវិត កាមនឹងព្រូវបានខូមនៅក្នុងដំណាក់កាល

क्ष्मस्रीताशकाशकाशक्ष्यका

9 ਜੋ (Phase 1A), 9 8 (Phase 1B), සීස් 9 ਜੋ (Phase 1C) 1

សុវត្ថិការពីទានចង្អលបង្ហាញក្នុងគ្រប់ទិដ្ឋការទាំអស់វិនប្រតិបត្តិការរបស់ ព្រុមហ៊ុនឈេហ៊ុន ហើយយើងខ្ញុំគឺជាអ្នកនាំមុខរគវ័ន្ធកនុស្សាហកម្មនៅក្នុងតំបន់ ចំពោះ ប្រតិហត្តិការប្រកបដោយសុវត្ថិការ និង ការអនុវត្តប្រកបដោយការយកចិត្តទុកដាក់ចំពោះ បរិស្ថាន។ យើងខ្ញុំស្នើជាក់យ៉ាងមុតមាំថា គ្មានឧប្បត្តិហេតុណាមួយអាចកើតឡើងបានឡើយ (គឺមានន័យថាសូំឲ្យឧប្បត្តិហេតុ) ហើយយើងខ្ញុំនៅតែបន្តប្រុងប្រយ័ត្នគ្រប់ពេលវេលា ទាំងអស់ដោយបន្តខំកស៊ីរូគ្គានទៅសម្រចនោសដៅប្រពីបត្តិការនេះដោយគ្មានឧប្បត្តិហេតុ។







Appendix 8

APPENDIX 8: AIR EMISSION CALCULATIONS

Greenhouse Gas Emissions

Methodology

Green house gas (GHG) emissions will occur from fossil fuel combustion over the project lifecycle and flaring during the operations phase. Emissions have been estimated using emission factors and global warming potentials for the three main GHG emitted by the project: carbon dioxide (CO₂), methane (CH₄) and nitrous oxide (N₂O). GHG emissions from the project have been estimated following the Tier 1 approach of IPCC (2006) for stationary and mobile combustion and flaring. Note that values in tables have been converted from kg to metric tonnes.

 CO_2 Emission (kg) = Fuel Consumption (TJ) x Fuel Emission Factor (kg CO_2 /TJ) Eq.1

Stationary Combustion (Diesel Fuel Use): Equation 1 is used to estimate GHG emissions from use of diesel fuel for stationary combustion with default fuel emission factors from

Fuel use must first be converted from Metric Tonnes (MT) to TJ. A net default calorific value for diesel of 43 TJ/Gg is used for this calculation, as provided in 2006 IPCC Guidelines for National Greenhouse Gas Inventories. This value is used for COPCL's use of medium diesel oil and intermediate fuel oil.

Diesel Fuel consumption (TJ) = diesel use (MT) x 10^{-3} (Gg/MT) x 43 (TJ/Gg)

 CO_2 Emissions (MT) = 10^{-3} * Diesel Fuel Consumption (TJ) * Fuel Emission Factor (kg CO_2 / TJ)

Stationary Combustion (Associated Gas Use): Equation 1 is used to estimate GHG emissions from use of associated gas for stationary combustion with default fuel emission factors from Table 1.

Volumes of gas used must first be converted from MMSCFD to TJ. The maximum calorific value for natural gas of 50.4 TJ/Gg is used for this calculation, as provided in 2006 IPCC Guidelines for National Greenhouse Gas Inventories. This value is used as a worst case estimate because no specific information on wellhead gas characteristics is available. The density of the associated gas is assumed to be 0.717 kg/m³, the density of methane at standard temperature and pressure.

Gas Use (TJ) = Gas Use (10^6 scf) x 0.0283 (m^3 /scf) x 0.717 kg/ m^3 x 10^{-6} Gg/kg x 50.4 (TJ/Gg)

 CO_2 Emissions (MT) = 10^{-3} * Gas Use (TJ) * Fuel Emission Factor (kg CO_2 / TJ)

Mobile Combustion (Fuel Use from Vessels): Equation 1 is used to estimate GHG emissions from use of diesel fuel for marine transportation with default fuel emission factors from **Table 1**.



Cambodia Block A Development Environmental Impact Assessment



Appendix 8

Fuel use must first be converted from Metric Tonnes (MT) to TJ. A net default calorific value for diesel of 43 TJ/Gg is used for this calculation, as provided in 2006 IPCC Guidelines for National Greenhouse Gas Inventories. This value is used for COPCL's use of medium diesel oil and intermediate fuel oil.

Diesel Fuel consumption (TJ) = diesel use (MT) x 10⁻³ (Gg/MT) x 43 (TJ/Gg)

 CO_2 Emissions (MT) = 10^{-3} * Diesel Fuel Consumption (TJ) * Fuel Emission Factor (kg CO_2 / TJ)

Mobile Combustion (Helicopter Fuel Use): Equation 1 is used to estimate GHG emissions from jet gasoline use for helicopter transportation with default fuel emission factors from Table 1.

Fuel use must first be converted from Metric Tonnes (MT) to TJ. A net default calorific value for jet gasoline of 44.3 TJ/Gg is used for this calculation, as provided in 2006 IPCC Guidelines for National Greenhouse Gas Inventories.

Helicopter Fuel consumption (TJ) = fuel use (MT) $\times 10^{-3}$ (Gg/MT) $\times 44.3$ (TJ/Gg)

 CO_2 Emissions (MT) = 10^{-3} * Fuel Consumption (TJ) * Fuel Emission Factor (kg CO_2 / TJ)

Flaring: The amount of gas flared will vary. Initially small volumes of associated gas will be generated (<2 mmscfd), which will be used as fuel gas and gas lift. The amount is expected to increase during years 2 and 3 to 2.5 and 3.5 mmscfd, respectively. The feasibility to inject gas will be investigated for Phase 1b and 1c: if injection takes place the amount of gas flared is expected to be 2 mmscfd.

GHG emissions from flaring are estimated using emission factors and global warming potentials for the three main greenhouse gases (CO_2 , CH_4 and N_2O) as explained above for stationary combustion of associated gas. The only difference is that flaring will result in conversion of CH_4 to CO_2 at an efficiency of 98% and the stoichiometric mass conversion factor of 2.75 of CO_2 from CH_4 (2006 IPCC Guidelines for National Greenhouse Gas Inventories). The emission factors in **Table 1** have been adjusted.

The maximum calorific value for natural gas of 50.4 TJ/Gg is used for this calculation, as provided in 2006 IPCC Guidelines for National Greenhouse Gas Inventories. This value is used as a worst case estimate because no specific information on wellhead gas characteristics is available.



Cambodia Block A Development Environmental Impact Assessment



Appendix 8

Table 1: Emission Factors for GHG Calculations

Types	Unit	CH₄	N ₂ O	CO ₂	Total CO₂-eq
Diesel Use by Generators (Stationary Combustion)	kg/TJ	3	0.6	74,100	
	kg CO ₂ eq/TJ	75	178.8	74,100	74,354
Associated Gas Use (Stationary Combustion)	Gg/TJ	1	0.1	56,100	
	Gg CO₂ eq/TJ*	25	29.8	56,100	56,155
Diesel Use for Water-Borne Navigation (Mobile Combustion)	kg/TJ	7	2	74,100	
	gCO ₂ eq/TJ*	175	596	74,100	74,871
Helicopter Aviation Use (jet gasoline)	kg/TJ	0.5	2	70,000	
	gCO ₂ eq/TJ*	12.5	596	70,000	70,609
Associated Gas Flaring	Gg/TJ	0.02	0.1	56,103	
	Gg CO₂ eq/TJ*	0.5	29.8	56,103	56,133

Source: IPCC (2007). Forster, P., V. Ramaswamy, P. Artaxo, T. Berntsen, R. Betts, D.W. Fahey, J. Haywood, J. Lean, D.C. Lowe, G. Myhre, J. Nganga, R. Prinn, G. Raga, M. Schulz and R. Van Dorland, 2007: Changes in Atmospheric Constituents and in Radiative Forcing. In: Climate Change 2007: The Physical Science Basis. Contribution of Working Group I to the Fourth Assessment Report of the Intergovernmental Panel on Climate Change [Solomon, S., D. Qin, M. Manning, Z. Chen, M. Marquis, K.B. Averyt, M.Tignor and H.L. Miller (eds.)]. Cambridge University Press, Cambridge. United Kingdom and New York, NY, USA. http://www.ipcc.ch/publications_and_data/ar4/wg1/en/ch2.html

Other Gas Emissions

Methodology

Emission factors are based on the Revised 1996 IPPC Guidelines and are summarized for the different fuels in **Table 2**.

Table 2: Emission Factors of Gas Emissions

	NOx	со	SO ₂
Stationary	200 kg/TJ	15 kg/TJ	93.8 kg/TJ
Boats	67.5 g/kg fuel	21.3 g/kg fuel	0.3%
Helicopter	12.5 g/kg fuel	5.2 g/kg fuel	1 kg/t fuel
Flaring	150 kg/TJ	20 kg/TJ	negligible

Source: Revised 1996 IPPC Guidelines

^{*} Global warming potentials (100 year time horizon); $CO_2 = 1$; $CH_4 = 25$; $N_2O = 298$





Cambodia Block A Development Environmental Impact Assessment



Appendix 9


APPENDIX 9: CUTTINGS MODELLING REPORT



DRILL CUTTINGS AND
DRILLING MUD DISPERSION
MODELLING FOR BLOCK A
DRILLING CAMPAIGN

25th July 2011

Prepared for:
IEM Co. Ltd., and Chevron
Overseas Petroleum (Cambodia)
Limited



Document control form

Document draft	Originated by	Edit & review	Authorized for release by	Date
Draft - Issued for internal review	Dr Sasha Zigic Alan Newnham	Dr Sasha Zigic Dr Brian King		20 th December 2010
Draft - Issued for client review	2	Dr Sasha Zigic Dr Brian King	Dr Sasha Zigic	20 th December 2010
Draft final - Issued for client review		Dr Ryan Dunn	Dr Sasha Zigic	22 nd February 2011
Final Submitted		Dr Sasha Zigic	Dr Sasha Zigic	15 th June 2011
Amended Final Submitted	ie	Dr Ryan Dunn	Dr Sasha Zigic	25 th July 2011

Document name: IEM_Chevron Cambodia Block A_CuttingsReport_Final_July2011.doc

APASA Project Number: G11042

APASA Project Manager: Dr Sasha Zigic

DISCLAIMER:

This document contains confidential information that is intended only for use by the client and is not for public circulation, publication, nor any third party use without the approval of the client and Chevron Overseas Petroleum (Cambodia) Limited (Chevron).

Readers should understand that modelling is predictive in nature and while this report is based on information from sources that Asia-Pacific ASA Pty Ltd. considers reliable, the accuracy and completeness of said information cannot be guaranteed. Therefore, Asia-Pacific ASA Pty Ltd., its directors, and employees accept no liability for the result of any action taken or not taken on the basis of the information given in this report, nor for any negligent misstatements, errors, and omissions. This report was compiled with consideration for the specified client's objectives, situation, and needs. Those acting upon such information without first consulting Asia-Pacific ASA Pty Ltd., do so entirely at their own risk.

Contents

E	EXEC	JTIVE SUMMARY	
1	I IN	TRODUCTION	1
2	2 50	COPE OF WORK	3
3	3 00	CEAN-COASTAL CURRENT MODEL - HYDROMAP	3
	3.1	Grid Setup	2
	3.2	Ocean Boundary Data	<i>€</i>
	3.3	HYDROMAP Model Validation	7
	Me	easured surface elevation validation	7
	Sa	etun platform surface and bottom current validation	g
4	RE	EGIONAL ENVIRONMENTAL DATA for APSARA A PLATFORM	11
	4.1	Wind data	11
	4.2	Current data	13
	4.3	Salinity and Temperature Profiles	17
5	DF	RILL CUTTINGS AND DRILLING MUD DISCHARGE MODEL - MUDMAP	17
	5.1	Model Description	17
	5.2	Drilling Program	21
	5.3	Discharge Input Data	23
T	able 7	Input data used for the drill cuttings and residual drilling mud dispersion modelling	g.24
	5.4	MUDMAP Grid Configuration	
	5.5	MUDMAP Mixing Parameters	26
	5.6	Natural Sedimentation Rate (Model Output)	27
3	RE	SULTS	27
	6.1	Near Seabed and Surface Discharges	27
	6.2	Total Accumulated Thickness	36

Asia	a-Pacific Applied Science Associates	*	www.apasa.com.au
7 .	REFERENCES		40
8	APPENDIX A		44
			19 19

Wind Data for the Model Validation – Study 1......44

Figures

Figure 1: Zoomed out (top image) and zoomed in (bottom image) maps showing the location of the Apsara A platform, in Block A, Cambodia, used as part of the drill cuttings and mud dispersion modelling study, Gulf of Thailand. The image above shows the locations of tide stations (light green circular icons) and Satun current mooring (black icon) used to validate the current model.
Figure 2: Extent of the large tidal model grid domain (top image) used to generate ocean boundary data for the higher resolution grid (bottom image).
Figure 3: Bathymetric data used to define the shape of the seafloor within the tidal model6
Figure 4: Time-series graphs of the predicted (red line) and measured (blue line) February 2007 surface elevations, at Narathiwat; Ko Samui, Ko Lak and Ban Laem
Figure 5: Time-series graphs showing the comparison between the Satun measured (blue) and predicted (red) current speeds. Left panel shows the surface current speeds and right panel shows the bottom current speeds.
Figure 6: Time-series graphs showing the comparison between the Satun measured (blue) and predicted (red) east-west components current speeds (left panel) and north-south axis current speeds (right panel), for the surface and bottom layers. Note: north and east flows are positive axes.
Figure 7: Scatter plots of the measured (blue circles) and predicted (red circles) surface currents (left panel) and bottom currents (right panel). Data covers the 1 st January to 31 st May 1999 period.
Figure 8: Monthly and seasonal wind rose distributions according the closest wind station from the Global Forecast System (GFS) model to the Apsara A platform. The wind data is based on September 2008 - March 2009.
Figure 9: Monthly current roses for the surface waters (left image) and bottom waters (right image) adjacent to the Apsara A platform. The current roses are based on predicted currents between October 2012- March 2013
Figure 10: Predicted current speeds for the surface waters (upper image) and bottom waters (lower image) during October 2012 – March 2013, at Apsara A platform
Figure 11: Sample screenshots of the predicted surface current vectors during a flood tide (top image) and ebb tide (bottom image) during February 2013. Note distance of the

current vectors (or arrows) vary with grid resolution and the highest resolution occur along the coastline.
Figure 12: Conceptual diagram showing the general behaviour of cuttings and mud following the discharge to the ocean (Neff, 2005) and the idealised representation of the three discharge phases.
Figure 13: Large scale view (top image) and zoomed-in view (bottom image) of the estimated thickness and coverage on the seafloor (above 0.07 mm threshold) from Batch-1 near seabed discharges. Results are based on a 9-day discharge of material from 8 wells under October modelled conditions. The location of the platform is represented by the white icon.
Figure 14: Large scale view (top image) and zoomed-in view (bottom image) of the estimated thickness and coverage on the seafloor (above 0.07 mm threshold) from Batch-1 surface discharges. Results are based on a 41-day discharge of material from 8 wells unde October - November modelled conditions The location of the platform is represented by the white icon.
Figure 15: Large scale view (top image) and zoomed-in view (bottom image) of the estimated thickness and coverage on the seafloor (above 0.07 mm threshold) from Batch-2 near seabed discharges. Results are based on a 9-day discharge of material from 8 wells under November modelled conditions. The location of the platform is represented by the white icon.
Figure 16: Large scale view (top image) and zoomed-in view (bottom image) of the estimated thickness and coverage on the seafloor (above 0.07 mm threshold) from Batch-2 surface discharges. Results are based on a 41-day discharge of material from 8 wells under November to January modelled conditions. The location of the platform is represented by the white icon.
Figure 17: Large scale view (top image) and zoomed-in view (bottom image) of the estimated thickness and coverage on the seafloor (above 0.07 mm threshold) from Batch 3 near seabed discharges. Results are based on a 9-day discharge of material from 8 wells under January modelled conditions. The location of the platform is represented by the white icon.
Figure 18: Large scale view (top image) and zoomed-in view (bottom image) of the estimated thickness and coverage on the seafloor (above 0.07 mm threshold) from Batch 3 surface discharges. Results are based on a 41-day discharge of material from 8 wells under

January to February modelled conditions. The location of the platform is represented by the white icon.
Figure 19: Large scale view (top image) and zoomed-in view (bottom image) of the estimated
thickness and coverage on the seafloor (above 0.07 mm threshold) from near seabed
and surface discharges for all 3 drilling batches. Results are based on material
discharged from 24 wells over a 6 month drilling campaign modelled. The location of the
well is represented by the white icon
Figure 20: Cross section view of predicted thicknesses along the long axis (northwest to
southeast) from near seabed and surface discharges for all 3 batches. Results are based
on material discharged from 24 wells over the 6 month drilling campaign modelled. Note
the vertical scale is exaggerated

Tables

Table 1: Location of the Apsara A platform used as part of the Block A drill cuttings and much dispersion modelling
Table 2: Statistical evaluation of the model performance for the four tide stations during February 2007
Table 3: Statistical comparison between the measured surface and bottom currents at the Satun production platform and model predicted results from 1 st January to 31 st May 1999.
Table 4: Measured average temperature and salinity data as a function of depth17
Table 5: Summary of the main algorithms within MUDMAP used to simulate the discharge of cuttings and mud
Table 6: Estimate of the drill cuttings and spent drilling mud for each well22
Table 7: Input data used for the drill cuttings and residual drilling mud dispersion modelling.24
Table 8: Grain size distribution and associated settling velocities according to the mud type used to drill the well interval.
Table 9: Portion (%) of sediment as a function of size class and mud type used to drill the well interval
Table 10: Summary of the predicted maximum bottom thickness, area of coverage and maximum distance from the site to deposited sediment above 0.07 mm threshold from near seabed discharges. Results are based on a 9-day discharge of material from 8 wells per batch.
Table 11: Predicted maximum bottom thickness, area of coverage and maximum distance from the site to deposited sediment above 0.07 mm threshold from surface discharges. Results are based on a 41-day discharge of material from 8 wells per batch
Table 12: Predicted area of coverage and percentage of coverage for each thickness range. Estimates are based on the entire 6 month, 24 well drilling campaign at Apsara A platform. 37
Table 13: Distance from the nearest sensitive receptor (Poulo Wai island) to the extent of the thickness contour. Estimates are based on the entire 6 month , 24 well drilling campaign at Apsara A platform.

Table 14: Comparison of the NCEP	historic	wind	speeds	(knots)	to	measured	data	by	the
Thai Meteorological Department	(TMD)								44

EXECUTIVE SUMMARY

Chevron Overseas Petroleum (Cambodia) Limited (Chevron) proposes to conduct a drilling campaign in Block A, Cambodia, Gulf of Thailand, starting October 2012 as part of the Block A development project. The majority of the wells are to be drilled as three separate intervals (surface, intermediate and production), with the exception being a limited number of four string horizontal wells. The surface intervals (12.25" bore hole) will be drilled using seawater and Water Based Mud (WBM), with the extracted drill cuttings and WBMs being returned directly at the seabed. The intermediate interval (8.5" bore hole) will be drilled using sea water with WBM sweeps. Finally, the production interval (6.125" bore hole) will be drilled using Non-Aqueous Fluids (NAF). The cuttings and mud from the intermediate interval will be brought to the surface through the riser, upon which the sea water drilling fluid/cuttings are discarded. For the production hole NAF drilling fluid/ cuttings are brought to the surface through a riser and treated through solids control equipment with the drilling fluid being reused and the cuttings being discarded. The cuttings and residual mud will be discharged overboard 1 metre below mean sea level (~70 m above the seafloor). Well construction will take approximately 6.5 days of rig time per slim hole well (4 days of actual drilling) and 24 wells will be drilled from the Apsara-A platform.

The assumption for the modelling study is that the 24 wells are to be drilled as 3 separate batches, 8 wells will have their surface holes drilled, followed by 8 intermediate holes, followed by 8 production holes. This will be followed by Batch 2 and Batch 3, where the process is repeated. This assumption is used for modelling purposes and this might change during detailed design prior to drilling operations.

The drilling program should last ~6 months for a total of 24 wells.

To prepare the Environmental Impact assessment for the project, a dispersion modelling study was conducted to estimate the potential short-term (prior to any re-suspension) seabed sediment deposition generated from discharged drill cuttings and drilling mud. The main objectives of the study were to:

- a) Simulate the near-seabed and sea surface discharges, for each batch (i.e. 3 simulations for near-seabed discharge, 3 simulations for sea surface discharge; and
- b) Combine the results from all of the simulations to estimate the bottom thickness, seafloor coverage and minimum distance from adjacent sensitive receptors (i.e. Poulo Wai Island, Cambodia) to seabed minimum thickness threshold level above 0.07 mm.

The modelling study was carried out in stages. Firstly, the ocean/coastal hydrodynamic model (HYDROMAP) was validated extensively and then used to generate three-dimensional currents for the entire Gulf. Secondly, the generated currents and detailed discharge data was used as input into the far-field discharge model, MUDMAP, to predict the movement and settlement of the material. The near-seabed and near-surface releases were modelled separately for each batch.

Summary of Near Seabed Discharges

Due to the height of release (2 m above the seafloor) the modelling showed that the currents had little effect on the larger sediment (greater than 0.25 mm diameter) which rapidly settled within 50 m of the release site after discharge. In contrast, the modelling showed that the currents were able to carry and deposit the smaller sediment (less than 0.25 mm diameter) more than 3 km from the release site

Typically the sediment was deposited along a northwest to southeast line, which corresponds with the major tidal axis at the platform location. There were instances during which sediment had deposited to the northeast, which could be attributed to the change in current direction (i.e. flood to ebb).

The maximum thickness (or height of mound) ranged between 458 mm to 759 mm. The area of coverage on the seafloor varied from 1.28 km² during Batch 1 conditions to 1.57 km² during Batch 2 conditions. The maximum distance from the platform to the 0.07 mm threshold contour was 3.57 km. The minimum distance from Poulo Wai to the 0.07 mm threshold contour was 67.88 km.

Summary of Sea-Surface Discharges

Modelling showed that by releasing the material higher above the seabed (approximately 70 m above or 1 m below the sea surface at this location), the prevailing currents were able to carry the smaller sediments (less than 0.25 mm diameter) further from the release site and deposit it over a much larger area than the near seabed discharges. Although, similar to the near seabed discharges, the larger sediment (greater than 0.25 mm diameter) also rapidly settled within 50 m of the release site and overall the material settled in a predominately northwest to southeast direction.

The maximum thickness (or height of mound) ranged between 9.08 mm to 13.3 mm. The area of coverage on the seafloor varied from 3.77 km² during Batch 2 conditions to 4.01 km² during Batch 3 modelled conditions. The maximum distance from the platform to the 0.07 mm threshold contour was 4.25 km. The minimum distance from Poulo Wai to the 0.07 mm threshold contour was 67.63 km.

Total Accumulated Thickness

The seabed and sea surface discharges for all 3 batches were combined to assess what the outcome of the full 6 month production drilling campaign would be.

The total area affected by mud and cuttings deposition from drilling 24 wells at this site was 12.54 km². Of this area, 6.88 km² of the area (or 45% of the affected area) was calculated to be covered by less than 0.2 mm. Approximately, 0.95 km² (or 0.075%) of the seafloor coverage consisted of sediment greater than 1 mm. The distance from the nearest island Poulo Wai to the 0.07 mm thickness contour is 67.03 km east.

1 INTRODUCTION

Chevron Cambodia Ltd (Chevron) is proposing to conduct a drilling campaign in Block A, Gulf of Thailand (Gulf), Cambodia, starting October 2012. During the campaign, each well is to be drilled as three intervals (surface, intermediate and production). The surface intervals (12.25" bore hole) will be drilled using seawater and Water Based Mud (WBM), with the extracted drill cuttings and WBMs being returned directly at the seabed. The intermediate interval (8.5" bore hole) will be drilled using sea water with WBM sweeps and the production interval (6.125" bore hole) will be drilled using Non-Aqueous Fluids (NAF). The cuttings and mud from the intermediate and production intervals will be brought to the surface through a riser pipe for treatment on-board the drilling platform using solids control equipment. During processing most of the mud will be separated from the cuttings and re-used for drilling; a residual fraction of the mud will adhere onto to the cuttings. After processing, the cuttings and residual mud will be discharged overboard 1 metre below mean sea level (~70 m above the seafloor). Approximately, 6.5 days will be required to construct each well, with 4 days of actual drilling.

To gain an understanding of the potential short-term (no re-suspension) seafloor coverage resulting from the discharge operation, International Environmental Management (IEM), commissioned Asia-Pacific Applied Science Associates (APASA) to carry out a dispersion modelling study using the specifics of the planned drilling operation and the environmental conditions of the Gulf of Thailand.

The main aim of the study was to estimate the likely area of coverage and bottom thickness on the seafloor when the sediment is discharged from the Apsara A platform (Figure 1 and Table 1) for a drilling program lasting over six months (October – April). A total of twenty four wells will be drilled from the platform.

The findings from the assessment will assist IEM and Chevron to better understand the short-term (no re-suspension) seabed coverage from the discharge operation.

Table 1: Location of the Apsara A platform used as part of the Block A drill cuttings and mud dispersion modelling.

Wellhead Platform Name	Latitude (North)	Longitude (East)	Water Depth (m)
Apsara A platform	9° 56' 44.405"	102° 14' 50.969"	71




Figure 1: Zoomed out (top image) and zoomed in (bottom image) maps showing the location of the Apsara A platform, in Block A, Cambodia, used as part of the drill cuttings and mud dispersion modelling study, Gulf of Thailand. The image above shows the locations of tide stations (light green circular icons) and Satun current mooring (black icon) used to validate the current model.

2 SCOPE OF WORK

The scope of work included the following components:

- Generate three-dimensional (3D) currents for the entire Gulf, using a validated ocean/coastal model, HYDROMAP, for input into the sediment discharge model, MUDMAP;
- Model the transport and settlement for the near seabed and surface releases for the initial 8 wells (batch 1) starting October;
- Model the transport and settlement for the near seabed and surface releases for the following 8 wells (batch 2) starting end of November;
- Model the transport and settlement for the near seabed and surface releases for the remaining 8 wells (batch 3) starting early January; and
- Combine the results from the near seabed and sea surface simulations to determine
 the collective bottom thickness and seafloor coverage for the entire drilling program;
 above the natural sedimentation rate of 0.07 mm, during the drilling operation.

3 OCEAN-COASTAL CURRENT MODEL - HYDROMAP

The 3D current data was generated using Applied Science Associates (ASA's) advanced ocean/coastal model, HYDROMAP. The HYDROMAP model has been thoroughly tested and verified through field measurements throughout the world over the past 25 years (Isaji and Spaulding, 1984; Isaji et al., 2001; Zigic et al., 2003). In fact, the HYDROMAP tidal current data has been used as input to forecast (in the future) and hind cast (in the past) previous oil spills by the Pollution Control Department of Thailand and Chulalongkorn University (Thailand). Furthermore, the circulation data used by the Pollution Control Department of Thailand since 2003 has been validated as part of the Thai Resources and Environment Management Institute (TREMI) managed Southern Land Bridge Development Project.

HYDROMAP employs a sophisticated sub-gridding strategy, which supports up to six levels of spatial resolution, halving the grid cell size as each level of resolution is employed. The sub-gridding allows for higher resolution of currents within areas of greater bathymetric and coastline complexity, and/or of particular interest to a study. To simulate the ocean circulation over any area of interest, the model requires the following input data:

- (1) The amplitude and phase of the important tidal constituents, which are used to calculate sea heights over time at the open boundaries of the model domain;
- (2) Bathymetry for the area; and
- (3) Wind data to define the wind shear at the sea surface.

The numerical solution methodology follows that of Davies (1977a, 1977b) with further developments for model efficiency by Owen (1980) and Gordon (1982). A more detailed presentation of the model can be found in Isaji and Spaulding (1984).

3.1 Grid Setup

As the Topex-Poseidon database is more accurate in deeper waters (greater than 100 m), it was necessary to employ a nested-grid modeling scheme. Essentially, a regional hydrodynamic grid (see Figure 2) was initially setup and run to provide ocean boundary data for the local higher resolution grid (see Figure 2). This is a common hydrodynamic modeling approach to overcome the aforementioned depth restriction (Ye and Robinson, 1983 and Fang et al., 1999).

The regional grid extended over the Gulf of Thailand, Andaman Sea, Malacca Strait, South China Sea, Java Sea and Makassar Strait. The grid was set up with a coarse resolution ranging from 25 km at the outer regions of the model grid to 6.3 km around the Gulf coastline.

The high resolution local grid consisted of 17,599 active computational water cells. The domain was subdivided horizontally into a grid with three levels of resolution. The resolution of the base cell was set at 9 km, which was reduced down to 2.25 km, to resolve detailed circulation and important coastal and island features.

A combination of datasets was used to describe the shape of the sea bed within the high resolution grid. For the Gulf, spot depths and contours were digitised from the most recent and highly resolved nautical charts released by the Thai Hydrographic office (February 2009). The data is the most recent and accurate available. Depths for the South China Sea were Topographic Mission extracted from the SRTM dataset (Shuttle Radar http://www2.jpl.nasa.gov/srtm/), which has a resolution of 1 km. The datasets were interpolated spatially to form a seamless, highly accurate representation of the depths (Figure 3).




Figure 2: Extent of the large tidal model grid domain (top image) used to generate ocean boundary data for the higher resolution grid (bottom image).




Figure 3: Bathymetric data used to define the shape of the seafloor within the tidal model.

3.2 Ocean Boundary Data

The tides at the entrance to the Gulf are mixed semi-diurnal (two high tides per day), with a clear spring-neap tidal cycle. The dominant tidal components in the Gulf are the S_2 , M_2 , K_1 , and O_1 (Wolanski *et al.*, 1994). To account for the tidal forcing, the eight largest constituents (K_2 , S_2 , M_2 , N_2 , K_1 , P_1 , O_1 and O_1) were selected. These are the same constituents as used by Yaiprasert *et al.* (2005) in a study of the tides within the Gulf. Typically these are the constituents specified in advanced hydrodynamic modelling applications, as they encompass a significant portion of the tidal signal and can accurately re-create the water levels and currents within the model domain (Militello and Zundel, 1999). Previous published modelling studies for the region by Cai *et al.* (2003) used only 4 tidal constituents. Employing twice as many tidal constituents greatly enhances the model prediction.

The tidal forcing along the ocean boundaries of the large grid was extracted from the Topex Poseidon global tidal database (TPX07.1; source: Oregon State University). The data was derived from long-term measurements taken by the Topex-Poseidon satellites since October 1992. The data has a resolution of 0.25 degrees (465 m) globally, and is produced and quality controlled by NASA (National Aeronautics and Space Administration). The satellites measured oceanic surface elevations (and the resultant tides) for over 13 years (1992-2005), during which they had carried out 62,000 orbits of the planet. The satellites were equipped

with two highly accurate altimeters, capable of taking sea level measurements of less than ± 1 centimetre accuracy ("Ocean Surface Topography from Space" NASA/JPL). The Topex-Poseidon tidal data has been widely used amongst the oceanographic community (Vikebo et al., 2005) and is the same dataset used by Yaiprasert et al. (2005) and Zu et al. (2008) to simulate the tidal influences in the Gulf of Thailand.

3.3 HYDROMAP Model Validation

The following sections provide a summary of an extensive study, which compared the accuracy of the modelling results to surface elevations and current data measured within the Gulf. Full details of the validation study are provided in APASA (2009).

Measured surface elevation validation

The first stage of the verification study involved comparing the model's accuracy with measured surface elevation data from nine stations, supplied by the Thai Hydrographic Department and Marine Department. The process involved running HYDROMAP for an entire year (2007), coinciding with the period of measured data.

The main objective of this phase was to ensure that the bathymetry, tidal constituents, winds (NCEP- see APPENDIX A) and bottom friction selected generated model results which compared well with all tidal stations. A Manning's bottom roughness coefficient of 0.025 was selected following testing that showed it produced the correct propagation of the tidal wave. Figure 4 shows time-series graphs of the model predicted and measured surface elevations for February 2007, for Narathiwat, Ko Samui, Ko Lak and Ban Laem stations (see Figure 1 for location of the tide stations). The four stations were selected to illustrate the model's accuracy along the entire coastline. The APASA (2009) report provides the results for all 9 stations for the entire year.

All four graphs show that the model accurately reproduced the magnitude (height) and timing of the tides (phase), even during sustained wind events during which the tidal levels did not drop. This demonstrates that the model was accurately replicating the natural variability in the measured tidal water levels and combined effects of wind, tide and bottom friction drag for the Gulf.

Considering the complexity of the water movement within the Gulf, the vast distances between the three stations, and that some of the stations are located adjacent to, or within

estuaries, this is an exceptional achievement of the model formulations, settings and input data

The Root Mean Square Error (RMSE) values were calculated for each site and are shown below in Table 2. The RMSE values for all four sites were equal to or below the recommended criterion of 14% (Sousa and Dias 2007).




Figure 4: Time-series graphs of the predicted (red line) and measured (blue line) February 2007 surface elevations, at Narathiwat; Ko Samui, Ko Lak and Ban Laem.

Table 2: Statistical evaluation of the model performance for the four tide stations during February 2007.

Station	Observed Range (m)	Predicted Range (m)	RMSE (m)	RMSE (%)
Narathiwat	1.46	1.53	0.19	14
Ko Samui	1.92	1.40	0.22	11
Ko Lak	2.19	1.84	0.18	8
Ban Laem	3.26	3.85	0.33	10

Satun platform surface and bottom current validation

The second stage of the verification study involved comparing measured currents at the Satun production platform in the centre of the Gulf (see Figure 1 for location of platform) with the model predicted results. Two current meters were attached to a leg of the platform, one near the surface and the other near the bottom (Tetra Tech 2002). Data spanned from 1st January to 1st June 1999 (approximately 150 days) at 20 minute intervals. Wind data was also collected at the platform and was used as input into the model for the validation.

One of the main motives for this phase was to ensure that the model's wind shear factor and vertical eddy viscosity factor were generating accurate three-dimensional currents. The vertical eddy viscosity is used to control the amount of vertical shear (resistance) between the layers in the water column (Kowalik and Murty 1993) in a three-dimensional model. The value for vertical shear was tested between 10 cm²/sec and 200 cm²/sec against the Satun data and it revealed that the current speed and direction was sensitive to this parameter. A relatively low value of 20 cm²/sec provided the best agreement the measured data at both depths.

Figure 5 shows time-series graphs of the predicted and measured surface and bottom current speeds. The graphs show that during the 150 day deployment, the model was capable of reproducing the varying current speeds very well at both depths. Figure 6 presents the currents speeds as north-south and east-west components at the two depths. The results highlight that the model accurately reproduced the change in direction as a function of time.

Figure 7 shows a scatter plot of the two datasets at the surface and bottom layers. The images demonstrate that the chosen model settings and input data (wind, tide and seabed drag) agree with the natural dynamics for the middle of the Gulf, including the north-westerly drift setup by the northeast monsoon winds.

Table 3 shows a statistical comparison between the measured surface and bottom currents at the Satun platform and model-predicted results. Statistically, the Relative Mean Error (RME) was on average below 15% for the surface layer and less than 10% for the bottom layer. All RME values were well below the value of 30% recommended for model calibration/validation by McCutcheon *et al.* (1990). These results provide further confirmation that the model is reproducing the currents within the Gulf with a high degree of accuracy.

Table 3: Statistical comparison between the measured surface and bottom currents at the Satun production platform and model predicted results from 1st January to 31st May 1999.

Depth of current meter	Maximum current speed (m/s)		Average current speed (m/s)		Relative Mean Error (%)		Root Mean Square Error (%)	
	Measured	Predicted	Measured	Predicted	East-West	North- South	East-West	North-
Surface	0.80	1.04	0.26	0.18	14.8	14.0	18.2	16.5
Bottom	0.88	0.65	0.21	0.16	6.9	8.6	13.6	10.7




Figure 5: Time-series graphs showing the comparison between the Satun measured (blue) and predicted (red) current speeds. Left panel shows the surface current speeds and right panel shows the bottom current speeds.




Figure 6: Time-series graphs showing the comparison between the Satun measured (blue) and predicted (red) east-west components current speeds (left panel) and north-south axis current speeds (right panel), for the surface and bottom layers. Note: north and east flows are positive axes.




Figure 7: Scatter plots of the measured (blue circles) and predicted (red circles) surface currents (left panel) and bottom currents (right panel). Data covers the 1st January to 31st May 1999 period.

4 REGIONAL ENVIRONMENTAL DATA FOR APSARA A PLATFORM

4.1 Wind data

To generate current data as input into the sediment model for this study, HYDROMAP (model) was re-run from September 2012 to April 2013. To drive the model, historic wind data (September 2008 to April 2009) and future tidal conditions for 2012 – 2013 was used as input. This is a common hydrodynamic modeling approach, as the tides can be predicted well into the future and historic winds are representative of future winds.

The assumption that the wind data used to force the circulation model is considered representative of future years was confirmed by the Woods Hole Group (2004) report. The report presents 12 years of wind measurements at the Satun processing platform and found a high level of consistency between the years, due to the timing of the monsoons seasons and other climatic conditions.

Figure 8 shows the monthly and seasonal data (as wind roses) for the closest Global Forecast System (GFS) model station point to Apsara A platform (see location in Figure 1). Note the convention for defining current direction is the direction the wind blows FROM, which is used to reference wind direction throughout this report. Each branch of the rose represents wind coming from that direction, with north to the top of the diagram. Eight directions are used. The branches are divided into segments of different thickness, which represent wind speed ranges from that direction. Speed ranges of 5 knots are used in these wind roses. The width of each segment within a branch is proportional to the frequency of winds blowing within the corresponding range of speeds from that direction.

The data indicated that the winds at this station are relatively strong (mean 9.9 knots; maximum 28 knots) and vary seasonally.




Figure 8: Monthly and seasonal wind rose distributions according the closest wind station from the Global Forecast System (GFS) model to the Apsara A platform. The wind data is based on September 2008 - March 2009.

Note the wind data is sourced from the National Centres for Environmental Predictions (NCEP) Global Forecast System (GFS) model. The data is the integration of extensive historic and observed atmospheric data into a state-of-the-art atmospheric model. This data product is recognized as one of the leading global wind forecast systems now available and has been shown to provide good forecast capabilities, especially for offshore regions (Zigic *et al.*, 2009).

4.2 Current data

Figure 9 shows the predicted monthly surface and bottom current roses at Apsara A platform. Note the convention for defining current direction is the direction the current flows **TO**, which is used to reference current direction throughout this report. Each branch of the rose represents the currents flowing to that direction, with north to the top of the diagram. Eight directions are used. The branches are divided into segments of different thicknesses, which represent current speed ranges for each direction. Speed intervals of 15 cm/s are used in these current roses. The width of each segment within a branch is proportional to the frequency of currents flowing within the corresponding range of speeds for that direction.

The data indicated that the currents at this site vary seasonally and with depth. The strongest surface currents speed was 137 cm/s in comparison to the bottom current speeds of 48 cm/s (see Figure 9). Surface currents demonstrated greater change in mean and maximum speeds due to the influence of the wind stress upon the water surface.

The major axes of the currents run in a northwest to southeast direction, which is in-line with the major tidal orientation. However, there are many episodes where the winds forced the surface currents in varying directions. In October the surface currents were predominately flowing to the south-southeast, signifying the influence of the south-westerly monsoon winds and the clockwise gyre. Alternatively, for the months of November to February the currents flowed predominately to the north and northwest, indicative of the northeast monsoon winds and the anti-clockwise gyre.

Figure 10 shows the predicted current speeds for the surface and bottom waters at Apsara A platform as time-series graphs between October 2012 to March 2013.

Figure 11 shows screenshots of predicted flood and ebb surface current vectors (or arrows) during February 2013 adjacent to the Apsara A platform. The proximity of the current vectors change with the grid resolution between and the coastal and offshore waters, with the highest

resolution occurring along the coastline. The colour of the vectors represent current speed (i.e. a red vector represents a speed of 0.9-1.0 m/s).




Figure 9: Monthly current roses for the surface waters (left image) and bottom waters (right image) adjacent to the Apsara A platform. The current roses are based on predicted currents between October 2012- March 2013.




Figure 10: Predicted current speeds for the surface waters (upper image) and bottom waters (lower image) during October 2012 – March 2013, at Apsara A platform.




Figure 11: Sample screenshots of the predicted surface current vectors during a flood tide (top image) and ebb tide (bottom image) during February 2013. Note distance of the current vectors (or arrows) vary with grid resolution and the highest resolution occurs along the coastline.

	Densimetric Froude number Fr _o :	Jet like (F>2) or plume like
	$Fr_o = \frac{u_o}{\sqrt{g'd_o}}$	(F<2)
	where:	
	u_{\circ} is the effluent exit velocity, d_{\circ} is the diameter of the discharge outlet and g is the reduced gravitational acceleration.	=
	Trajectory of a buoyant jet:	Reference:
	$\frac{z}{L_b} = f\left(\frac{x}{L_b}, Fr_o, \frac{d_o}{L_b}\right)$	Brandsma et al. (1992)
	where:	8
	z is the vertical height of the plume centreline; Cross flow length scale $L_b = J_o/u_o^3$, where $J_o = u_o(d_o/2)^2g$	
Jet Phase	Salinity:	Reference:
	$\frac{d}{ds}(Q(S_d - S)) = E(S_d - S_a)$	al. (1992)
Service of	Temperature:	
a arak ka a	$\frac{d}{ds}(Q(T_d - T)) = E(T_d - T_a)$	
	where:	
	Q is the total plume volume flux; T and S are the temperature and salinity of the fluid; T_d and S_d are the temperature and salinity of the discharged fluid; E is the rate of ambient fluid.	
-	Separation of discharge fluid	Reference: Brandsma et
	$G_i = 2C_i U - U_a rK$	al. (1992)
	where:	
9	G_i the rate the constituent leaves the plume; C_i - volume concentration; U plume centerline velocity vector; U_a ambient current vector; r plume radius and K is a coefficient.	
	Magnitude of the collapse driving force	Reference: Brandsma et
×	$F_c = \frac{\tilde{g}}{6} \frac{d\rho_a}{dy} \left(1 - \frac{\lambda a_o}{a} \right) a^3$	al. (1992)
Dynamic	n n	
	where:	
	F_c collapse driving force; g gravity; ρ_a density of ambient fluid; λ coefficient; and a is the radius attained in the initial descent; a_0 change in the radius attained in the initial descent.	

Collapse on the sea bed or sea surface	Plume collapsing on the sea bed $F_b = \frac{1}{2} (\rho - \rho_a) g a^2$ where: $F_b \text{ collapse driving force; g gravity and } \rho_a \text{ density of ambient fluid}$	Reference: Brandsma et al. (1992)
Passive Dispersion	Concentration distribution $c(x,y,z) = \frac{q}{2\pi\sigma_y\sigma_z U} \exp\left(-\frac{1}{2}\left(\frac{y}{\sigma_y}\right)^2 - \frac{1}{2}\left(\frac{z-10}{\sigma_z}\right)^2\right)$ where $+\frac{q}{2\pi\sigma_y\sigma_z U} \exp\left(-\frac{1}{2}\left(\frac{y}{\sigma_y}\right)^2 - \frac{1}{2}\left(\frac{z+10}{\sigma_z}\right)^2\right)$ Where: q is the discharge rate; U is the current flow; σ_y and σ_z horizontal and vertical plume standard deviations and x, y and z are the coordinates along the direction of the plume movement, transverse to the direction of the plume movement and in the vertical respectively.	Dispersion of the particles would take on the form as described by Lewis (1997)
	Horizontal diffusion parameters $f_x = f_y = \sqrt{2K_h dt}$ where: K_h horizontal mixing coefficient; t is time and d is distance.	Reference: Bowden (1983); Webb (1982)
	Vertical diffusion parameters $f_z = \sqrt{2k_z dt}$ where:	Reference: Bowden (1983); Webb (1982)




Figure 12: Conceptual diagram showing the general behaviour of cuttings and mud following the discharge to the ocean (Neff, 2005) and the idealised representation of the three discharge phases.

5.2 Drilling Program

The slim hole drilling method will be used for drilling the wells. As previously mentioned, the wells are to consist of surface, intermediate and production intervals. The surface holes (12.25" bore hole) will be drilled using WBMs, with the extracted drill cuttings and WBMs being returned directly to the seafloor from the annulus.

The intermediate intervals will be drilled using sea water with WBM sweeps. The production interval (6.125" bore hole) will be drilled using NAF. The cuttings and mud from the intermediate and production intervals will be brought to the surface through the riser for treatment using solids control equipment to recover mud. The cuttings and residual mud will be discharged overboard 1 metre below mean sea level (~70 m above the seafloor) from a vertically orientated 0.2 m discharge pipe.

Each well is to take 4 days to drill (6.5 days total well construction time), with 24 wells to be drilled from the Apsara A platform. As part of the modelling study it was assumed that the 24 wells will be drilled as 3 batches or 8 wells at a time. To begin with, the 8 wells will have their surface holes drilled, followed by 8 intermediate holes, followed by 8 production holes. This process is repeated then for the 8 wells of Batch 2 and the 8 wells of Batch 3. The drilling program should last approximately 6 months for the completion of all 24 wells. It should be made clear that this is simply an assumption made for the purpose of modelling. In reality, the batch size may change and there may be a few 4 string design wells depending on the results of previous batches.

Table 6 summarizes the estimated volume of cuttings and mud discharged for each well interval. Note the volume of residual NAFs is the estimated amount that adheres to the cuttings that is not removed by the solids control system.

Table 6: Estimate of the drill cuttings and spent drilling mud for each well.

Bore Diameter (inches)	-		Cuttings			
	Well Interval	Discharge Method	Volume Discharged (m³)	Туре	Volume Discharged (m³)	Discharge Duration (Days)
12 ¼ "	Surface Hole	WBM with cuttings returned directly to seafloor	20	WBM ^a	197	0.25
8 ½"	Intermediate Hole	- Seawater with cuttings brought to a shale shaker on the drilling rig, then discharged to sea - WBM with cuttings brought to a shale shaker on the drilling rig, then discharged to sea	93	WBM	114*	0.75
6 1/8"	Production Hole	NAF and cuttings brought to a shale shaker and centrifuge on the drilling rig, then cuttings and residual mud discharged to sea	35	NAF ^b	90	3.0
	Total (for one well)		148		401	4.0

^a WBM – Water Based Mud

^b NAF – Non-Aqueous Fluids

^{*} Excludes sea water discharged.

5.3 Discharge Input Data

The detailed input data used in the discharge model setup included:

- The density and particle size distribution;
- The relative temperatures, salinities and densities of the discharge and receiving waters;
- The rate of discharge of the whole cuttings and unrecoverable mud;
- The size and orientation of the discharge pipe;
- Discharge rate;
- The height of the discharge point relative to mean sea level; and
- Current and wind data to represent local physical forcing.

Table 7 shows a summary of the discharge configuration and the total estimated volume of cuttings and residual mud used as input into the model. The near seabed and sea surface discharges were modelled separately.

Table 8 shows the grain size distributions and associated settling velocities according to the type of mud used to drill each well interval. The detailed grain size data is based on cuttings samples analysed from an earlier Chevron drilling campaign (Moragot in 2007 and Maliwan in 2008, see APASA, 2008a; 2008b) in the Gulf of Thailand, using the same well design. For the intervals that will be drilled using WBM (surface and intermediate), the grain sizes are expected to vary between 0.00036 mm and 0.707 mm in diameter. The grain sizes of cuttings and residual NAF from the production interval are expected to range between 0.00036 mm to 1.41 mm in diameter. Fall velocities for the various size classes were derived from empirical data provided by Dyer (1986) in order to factor in the various sediments that will be produced from each operation.

Table 9 shows the composition of the sediment as a function of class for the well intervals drilled with water based mud and non-aqueous fluids. The table highlights that the material from the surface and intermediate intervals (cuttings and WBM) contained a greater portion of light and medium grain sizes, compared to the material from the production interval (cuttings and NAF). The reason is that the residual NAF attached to the cuttings causes the material to flocculate and aggregate after being discharged into the sea (Pivel *et al.*, 2009). WBM do not typically adhere to the cuttings after discharge (Terrens *et al.*, 1998).

A cuttings density of $2,600 \text{ kg/m}^3$ and a drilling mud (barite) density of approximately $4,200 \text{ kg/m}^3$ were specified as part of the model input parameters. It is important to note that grain size has a significantly greater influence on the rate of settling than density (Neff, 2005).

Table 7: Input data used for the drill cuttings and residual drilling mud dispersion modelling.

Table 1. Input data used for the drill cuttings and i	T Thousand the control of the contro			
Total Wells to be drilled	24			
Latitude	9° 56' 44.405" North			
Longitude	102° 14' 50.969" East			
Water depth (m)	71 m			
Proposed Schedule (start date)	October 2012			
	(drilling program should last 6.2 months)			
Drilling method	Slim Hole			
	(see Table 8 for particle grain size)			
Drill cuttings release amount near seabed	480 m ³			
Drilling mud release amount near seabed	4,728 m ³			
Drill cuttings release amount at sea surface (m³)	3,072 m ³			
Drilling mud release amount at sea surface (m³)	4,896 m ³ (2,736 m ³ WBM; 2,160 m ³ NAF)			
Discharge duration (days)	4 days per well (96 days for 24 wells)			
, , ,	Not continuous discharge			
Depth of discharge pipe below mean sea level (m)	1 m			
Discharge pipe orientation	Vertical-downward			
Diameter of discharge pipe (m)	0.2 m			

Table 8: Grain size distribution and associated settling velocities according to the mud type used to drill the well interval.

Size Class Grain size (mm)		Settling Velocity (cm/s)	Surface and intermediate well sections consisting of WBM and cuttings (composition %)	Production well section consisting of NAF and cuttings (composition %)		
<u> </u>	1.4100	20.05	0.00	0.20		
	1.0000	14.6	0.00	0.74		
Von hoovy	0.7071	11.03	0.10	4.37		
Very heavy	0.5000	7.70	1.20	13.06		
s: - '	0.3536	5.20	2.40	19.31		
0	0.2500	3.40	3.80	12.84		
	0.1768	2.10	5.10	6.73		
	0.1250	1.30	6.60	6.92		
Hann	0.0884	0.70	8.10	11.45		
Heavy	0.0625	0.40	9.10	5.70		
	0.0442	0.20	9.20	3.29		
	0.0313	0.10	8.60	3.29		
2 11 2	0.0221	0.05	7.80	1.13		
	0.0156	0.02	7.00	1.13		
Medium	0.0110	0.01	6.50	0.92		
wedium	0.0078	0.006	6.10	0.92		
	0.0055	0.003	5.04	1.30		
	0.0039	0.002	4.80	1.30		
	0.0028	0.0007	3.80	0.65		
	0.0020	0.0004	2.50	0.65		
Light	0.0014	0.0002	0.90	0.82		
	0.0010	0.0001	0.59	0.82		
Ď.	0.0007	0.00005	0.46	0.82		
Vanut inte	0.0005	0.000025	0.28	0.82		
Very Light	0.00036	0.00001	0.03	0.82		

Table 9: Portion (%) of sediment as a function of size class and mud type used to drill the well interval

Sediment class (Size range in mm)	Surface and intermediate well sections consisting of WBM and cuttings (composition %)	Production well section consisting of NAF and cuttings (composition %)		
Very heavy (0.25 mm – 1.41 mm)	7.50	50.52		
Heavy (0.0313 mm – 0.1768 mm)	46.70	37.38		
Medium (0.0039 mm – 0.0221 mm)	37.24	6.70		
Light (0.0007 mm – 0.0028 mm	8.25	3.76		
Very light (0.00036 mm – 0.0005 mm)	0.31	1.64		

5.4 MUDMAP Grid Configuration

MUDMAP uses a three-dimensional grid to represent the geographic region under study (water depth and bathymetric profiles). Due to the sediment travelling a much further distance when discharged at the sea surface, two varying grids extents were configured to compute the likely bottom thicknesses, and then combined soon after.

A 10 m x 10 m horizontal cell size was used to predict the concentrations from the near-seabed releases. The extent of the grid was 8.9 km (longitude, x-direction) by 10 km (latitude, y-direction) area.

A 15 m x 15 m horizontal cell size was used for the sea surface releases. The grid extent was 14.6 km (longitude or x-axis) by 14.6 m (latitude or y-axis).

5.5 MUDMAP Mixing Parameters

For the cuttings and mud discharged at the sea surface, the turbulence parameters used by the model were set to $0.1~\text{m}^2/\text{s}$ in the vertical and $0.25~\text{m}^2/\text{s}$ for the horizontal, based on previous studies by Copeland (1996). The vertical parameter is also used to account for the influence of wave-induced turbulence.

For the discharge of cuttings near the seabed, the horizontal parameter was kept at 0.25 m²/sec, however, a very low vertical parameter was set (0.0001 m²/sec), as it is considered insignificant 2 m above the seabed.

5.6 Natural Sedimentation Rate (Model Output)

An extensive field study by Srisuksawad *et al.* (1997) had found that the natural sedimentation rate for the Gulf varied between 0.56 mm/year to 1.96 mm/year. For this study the lower rate of 0.56 mm/year was used to calculate the thickness of the naturally occuring deposition layer during the each batch discharge operation. This equated to a thickness of 0.07 mm over the approximate 50-day period. Hence, a minimum threshold of 0.07 mm was set for the analysis presented below.

6 RESULTS

6.1 Near Seabed and Surface Discharges

Figure 13, Figure 15 and Figure 17 show the predicted thickness (greater than 0.07 mm threshold) and coverage on the seafloor from Batch 1 - 3 near seabed discharges. The results are based on a 9 day discharge after drilling 8 wells per batch.

The model results showed that due to the height of release (2 m above the seabed), the currents had little to no effect on the very heavy sediment (greater than 0.25 mm diameter) which raidly settled within 50 m from the release site. The currents did have an effect on the transport of the lighter sediment (less than 0.25 mm diameter), carrying and depositing the material greater than 3 km from the release site.

Typically the sediment was deposited along a northwest to southeast line, which corresponds with the major tidal axis at the exploration well. Interestingly, the results for Batch 1 (Figure 13) showed some of the material had deposited to the northeast of the well location, likely a result of the change in season and water circulation.

Table 10 presents the maximum bottom thickness, area of coverage (above 0.07 mm thickness threshold) and the maximum distances from the platform to the extent of the 0.07 mm threshold contour. The maximum thickness (or height of mound) ranged between 458 mm to 759 mm. The area of coverage on the seafloor varied from 1.28 km² during Batch 1 conditions to 1.57 km² during Batch 2 conditions. The maximum distance from the platform to

the 0.07 mm threshold contour was 3.57 km. The minimum distance from the closest island Poulo Wai (Figure 1) to the 0.07 mm threshold contour was 67.88 km.

Figure 14, Figure 16, Figure 18 show the predicted thickness (greater than 0.07 mm threshold) and coverage on the seafloor from Batch 1-3 sea surface discharges. The results are based on a 41 day discharge after drilling 8 wells per batch.

Modelling showed that the higher release point (approximately 70 m above the seabed), permitted the prevailing currents to carry the slower settling material (<0.08 mm diameter) over a much larger area than the near seabed discharges. Similar to the seabed releases, the material settled in a predominately northwest to southeast direction, which corresponds with the major tidal axis.

Table 11 is a summary of the maximum bottom thickness, area of coverage (above 0.07 mm thickness threshold) and the maximum distances from the platform to the extent of the 0.07 mm threshold contour. The maximum thickness (or height of mound) ranged between 9.08 mm to 13.3 mm. The area of coverage on the seafloor varied from 3.77 km² during Batch 2 conditions to 4.01 km² during Batch 3 modelled conditions. The maximum distance from the platform to the 0.07 mm threshold contour was 4.25 km. The minimum distance from Poulo Wai (Figure 1) to the 0.07 mm threshold contour was 67.63 km.

Table 10: Summary of the predicted maximum bottom thickness, area of coverage and maximum distance from the site to deposited sediment above 0.07 mm threshold from near seabed discharges.

Results are based on a 9-day discharge of material from 8 wells per batch.

	Maximum bottom thickness (mm)	Total area of coverage (km²)	Maximum distance from the release site to the extent of the 0.07 mm threshold contour (km)	Distance from Poulo Wai Island to the 0.07 mm threshold ⁴ contour (km)	
Batch 1	568	1.28	2.73	67.88	
Batch 2	759	1.57	3.12	68.23	
Batch 3	458	1.32	3.57	68.31	

Table 11: Predicted maximum bottom thickness, area of coverage and maximum distance from the site to deposited sediment above 0.07 mm threshold from **surface discharges**. Results are based on a 41-day discharge of material from 8 wells per batch.

Batch	Maximum bottom thickness (mm)	Total area of coverage (km²)	Maximum distance from the release site to the extent of the 0.07 mm threshold contour (km)	Distance from Poulo Wai island to the 0.07 mm threshold contour (km)	
Batch 1	10.5	3.86	3.15	68.16	
Batch 2	9.08	3.77	4.25	67.76	
Batch 3	13.3	4.01	3.93	67.63	




Figure 13: Large scale view (top image) and zoomed-in view (bottom image) of the estimated thickness and coverage on the seafloor (above 0.07 mm threshold) from <u>Batch-1 near seabed discharges</u>.

Results are based on a 9-day discharge of material from 8 wells under October modelled conditions.

The location of the platform is represented by the white icon.



Figure 14: Large scale view (top image) and zoomed-in view (bottom image) of the estimated thickness and coverage on the seafloor (above 0.07 mm threshold) from <u>Batch-1 surface discharges</u>. Results are based on a 41-day discharge of material from 8 wells under October - November modelled conditions..

The location of the platform is represented by the white icon.



Figure 15: Large scale view (top image) and zoomed-in view (bottom image) of the estimated thickness and coverage on the seafloor (above 0.07 mm threshold) from <u>Batch-2 near seabed discharges</u>.

Results are based on a 9-day discharge of material from 8 wells under November modelled conditions.

The location of the platform is represented by the white icon.



Figure 16: Large scale view (top image) and zoomed-in view (bottom image) of the estimated thickness and coverage on the seafloor (above 0.07 mm threshold) from <u>Batch-2 surface discharges</u>. Results are based on a 41-day discharge of material from 8 wells under November to January modelled conditions.

The location of the platform is represented by the white icon.



Figure 17: Large scale view (top image) and zoomed-in view (bottom image) of the estimated thickness and coverage on the seafloor (above 0.07 mm threshold) from <u>Batch 3 near seabed discharges</u>. Results are based on a 9-day discharge of material from 8 wells under January modelled conditions. The location of the platform is represented by the white icon.




Figure 18: Large scale view (top image) and zoomed-in view (bottom image) of the estimated thickness and coverage on the seafloor (above 0.07 mm threshold) from <u>Batch 3 surface discharges</u>. Results are based on a 41-day discharge of material from 8 wells under January to February modelled conditions.

The location of the platform is represented by the white icon.

6.2 Total Accumulated Thickness

Figure 19 shows the estimated bottom thickness and seafloor coverage when the seabed and sea surface discharges from all 3 batches (each batch of 8 wells) are combined. The results are based on material discharged from 24 wells over the 6 month drilling campaign modelled.

Figure 20 shows the matching cross sectional view along the northwest to southeast axis, within 500m either side of the release site. Note the vertical scale is greatly exaggerated. The figure highlights the mounding adjacent to the release site and the exponential decline of the bottom thickness further away. The predicted maximum bottom thickness from the combined discharges was 1759.70 mm occurring immediately adjacent the well location (< 10 m). This is a worst case scenario, as further dispersion and resuspension of of settled material is likely.

Table 12 is the corresponding predicted area of coverage and percentage of coverage as a function of thickness. The total area of exposure was 12.54 km^2 . About 6.68 km^2 of the area has a thickness between 0.07 mm - 0.2 mm or (45% of the seafloor coverage). Approximately, 0.95 km^2 (or 0.075%) of the seafloor coverage consists of sediment greater than 1 mm.

Table 13 shows the distance from the nearest sensitive receptor (Poulo Wai island) to the extent of the 0.07 mm and 1.0 mm thickness contour. As seen below, the 0.07 mm thickness contour is 67.03 km west from Poulo Wai.

No trans-boundary impacts are predicted to occur.

Table 12: Predicted area of coverage and percentage of coverage for each thickness range. Estimates are based on the entire 6 month, 24 well drilling campaign at Apsara A platform.

Thickness range (mm)	Area of coverage (km²)	Percentage of area covered	Maximum distance (km) from the release site to the contour extent	
0.07 - 0.2	6.88	54.84	5.70	
0.2 - 0.5	3.57	28.46	3.92	
0.5 - 1	0.5 - 1 1.14		2.40	
1 - 5	0.75	6.01	1.56	
5 - 10	0.09	0.73	0.60	
>10	0.11	0.90	0.43	
Total	12.54	100		

Table 13: Distance from the nearest sensitive receptor (Poulo Wai island) to the extent of the thickness contour. Estimates are based on the entire 6 month, 24 well drilling campaign at Apsara A platform.

Thickness contour (mm)	Distance to Poulo Wai (km)			
0.07	67.03			
1	68.71			

us.moo.eseqe.www

Asia-Pacific Applied Science Associates




Figure 19: Large scale view (top image) and zoomed-in view (bottom image) of the estimated thickness and coverage on the seafloor (above 0.07 mm threshold) from near seabed and surface discharges for all 3 drilling batches. Results are based on material discharged from 24 wells over a 6 month drilling campaign modelled. The location of the well is represented by the white icon.




Figure 20: Cross section view of predicted thicknesses along the long axis (northwest to southeast) from near seabed and surface discharges for <u>all 3 batches</u>. Results are based on material discharged from 24 wells over the 6 month drilling campaign modelled. Note the vertical scale is exaggerated.

7 REFERENCES

- APASA, 2008a. Modelling the transport and settlement of drill cuttings and drilling mud discharged from a wellhead platform in the Maliwan production field, Gulf of Thailand. Report prepared for Tetra Tech and Chevron Offshore Thailand Ltd.
- APASA, 2008b. Modelling the transport and settlement of drill cuttings and drilling mud discharged from a wellhead platform in the Moragot production field, Gulf of Thailand. Report prepared for Tetra Tech and Chevron Thailand Exploration and Production Ltd.
- APASA, 2009. An extensive study which compared measured data from different sources and periods within the Gulf of Thailand, with results from the hydrodynamic model, HYDROMAP. Internal report.
- Bowden, K.F., 1983. Physical oceanography of coastal waters. Ellis Horwood Ltd, Chichester, 302p.
- Brandsma, M.G. and Sauer Jr., T.C., 1983. The OOC model: prediction of short term fate of drilling mud in the ocean, Part I model description and Part II model results. Proceedings of Workshop: An Evaluation of Effluent Dispersion and Fate Models for OCS Platforms. Santa Barbara, California, 7th-10th February, 1983.
- Brandsma, M.G., Smith, J.P., O'Reilly, J.E., Ayers, R.C., and Holmquist, A.L., 1992. Modeling offshore discharges of produced water. In: Ray, J.P. and Englehardt, F.R. (Eds.), Produced Water. Plenum Press, New York, pp. 59–71.
- Burns, K., Codi, S., Furnas, M., Heggie, D., Holdway, D., King, B. and McAllister, F., 1999. Dispersion and Fate of Produced Formation Water Constituents in an Australian Northwest Shelf Shallow Water Ecosystem. Marine Pollution Bulletin 38(7): 593–603.
- Cai, S.; Huang, Q., and Long, X., 2003. Three-dimensional numerical model study of the residual current in the South China Sea. Oceanologica Acta: 26: 597–607.
- Copeland, G. 1996. UK Seminar on current research on data rich models of tidal flow and effluent dispersion. University of Strathclyde, Department of Civil Engineering Report. Glasgow.
- Chotamonsak, C., and Kreasuwun, J., 2008. Numerical weather simulation of the depression 23 W over the Gulf of Thailand by the MM5. Songklanakarin Journal of Science and Technology 30(2): 257–267.
- Cox, A.T., Cardone, V.J and Swail, V.R., 1998. Evaluation of NCEP/NCAR Reanalysis Project marine surface wind products for a long-term North Atlantic wave-hindcast. 5th

- International Workshop on Wave Hindcasting and Forecasting. 26th–30th January, 1998, Melbourne, Florida, USA.
- Davies, A.M., 1977a. The numerical solutions of the three-dimensional hydrodynamic equations using a B-spline representation of the vertical current profile. Bottom Turbulence, Proceedings of the 8th Liege Colloquium on Ocean Hydrodynamics, J.C. Nihoul (Ed), Elsevier.
- Davies, A.M., 1977b. Three-dimensional model with depth-varying eddy viscosity. Bottom Turbulence. Bottom Turbulence, Proceedings of the 8th Liege Colloquium on Ocean Hydrodynamics, J.C. Nihoul (Ed), Elsevier.
- Dyer, K.R., 1986. Coastal and Estuarine Sediment Dynamics. John Wiley & Sons Ltd., Chichester, 342p.
- Fang, G., Kwok, Y.-K., Yu, K., and Zhu, Y., 1999. Numerical simulation of principal tidal constituents in the South China Sea, Gulf of Tonkin and Gulf of Thailand. Continental Shelf Research 19: 845–869.
- Foreman, M., Beauchemin, L., Cherniawsky, J., Pena, M., Cummins, P., and Sutherland, G., 2005. A review of models in support of oil and gas exploration off the North Coast of British Columbia. Canadian technical report of fisheries and aquatic sciences 2612.
- Gordon. R., 1982. Wind driven circulation in Narragansett Bay. Ph. D. Thesis. Department of Ocean Engineering, University of Rhode Island, Kingston, RI, 161 pp.
- Isaji, T. and Spaulding, M., 1984. A Model of the Tidally Induced Residual Circulation in the Gulf of Maine and Georges Bank. Journal of Physical Oceanography Notes and Correspondence: 1119–1126.
- Isaji, T. Howlett, E. Dalton, C. and Anderson, E., 2001. Stepwise-Continuous-Variable-Rectangular Grid. Proceedings 24th Arctic and Marine Oil spill Program Technical Seminar: 597–610.
- Khondaker, A.N., 2000. Modeling the fate of drilling waste in marine environment an overview. Journal of Computers and Geosciences 26: 531–540.
- King, B. and McAllister, F., 1997. Modeling the Dispersion of Produced Water Discharge in Australia. Volume 1. The application of MUDMAP to investigate the dilution and mixing of the above water discharge at the "Harriet A" petroleum platform on the Northwest Shelf. Report to the Australian Petroleum Production and Exploration Association and The Energy Research Development Corporation, September, 1997.

- King, B. and McAllister, F.A., 1998. Modelling the dispersion of produced water discharges. APPEA Journal, 681–691.
- Koh, R.C.Y. and Chang, Y.C., 1973. Mathematical model for barged ocean disposal of waste. Environmental Protection Technology Series EPA 660/2-73-029, U.S. Army Engineer Waterways Experiment Station. Vicksburg, Mississippi.
- Kowalik, Z and Murty, T.S., 1993. Numerical modelling of Ocean Dynamics. World Scientific Publishing.
- Lewis, R.E., 1997., Dispersion in estuaries and coastal waters. John Wiley & Sons, Chichester, 328p.
- McCutcheon, S.C., Dongwei, Z, and Bird, S., 1990. Model calibration, validation, and use, Chapter 5 in Technical Guidance Manual for Performing Waste Load Allocations." In: Book III: Estuaries, Part 2: Application of estuarine waste load allocation models. eds., Martin, J.J., Ambrose, R.B., and McCutcheon, S.C., US Environmental Protection Agency, Office of Water, March 1990.
- Militello, A. and Zundel, A.K., 1999. Surface water modelling system tidal constituent toolbox for ADCIRC. Coastal Engineering Technical Note IV-21, December.
- Neff, J., 2005. Composition, environment fates, and biological effect of water based drilling mud and cuttings discharged to the marine environment: A synthesis and annotated bibliography. Report prepared for Petroleum Environment Research Forum and American Petroleum Institute.
- Owen, A., 1980. A three-dimensional model of the Bristol Channel. Journal of Physical Oceanography 10: 1290–1302.
- Pivel, M.A.G., Freitas, C.M.D.S., and Comba, J.L., 2009. Modeling the discharge of cuttings and drilling fluids in a deep-water environment. Deep-Sea Research II 56(1-2): 12–21.
- Sousa, M., and Dias, J., 2007. Hydrodynamic model calibration for a mesotidal lagoon: the case of Ria de Averio (Portugal). Journal of Coastal Research Issue 50: 1075–1080.
- Srisuksawad, K., Porntepkasemsan, B., Nouchpramool, S., Yamkate, P., Carpenter, R., Peterson, M.L., and Hamilton, T., 1997. Radionuclide activities, geochemistry and accumulation rates of sediments in the Gulf of Thailand. Continental Shelf Research 17(8): 925–965.
- Terrens, G.W., Gwyther, D. Keough, M.J., Tait, R.D., 1998. Environmental assessment of synthetic based drilling mud discharges to Bass Strait, Australia. SPE 46622. Pages 1-14 In: 1998 SPE International Conference on Health, Safety and Environment in Oil and

- Gas Exploration and Production. Caracas, Venezuela, 7th–10th June 1998. Society of Petroleum Engineers, Inc. Richardson, TX.
- Tetra Tech, 2002. Technical support document for the code of practice for produced water from oil and gas operations in the Gulf of Thailand. Tetra Tech report prepared for the Petroleum Institute of Thailand.
- Vikebo, F., Sundby, S., Adlansvik., B and Fiksen, O., 2005. The combined effect of transport and temperature on distribution and growth of larvae and pelagic juveniles of Arcto-Norwegian cod. Journal of Marine Science 62: 1375–1386.
- Webb, A.J., 1982. A random walk model of the dispersion of caesium-137 in the Irish Sea. Thesis for MSc, University of Wales.
- Woods Hole Group, 2004. Gulf of Thailand wind, wave and current statistics. Prepared for Unocal Thailand, Ltd. Unocal Corp 2004-02.
- Wolanski, E., Wattayakorn, G. and King, B., 1994. Water circulation and pollutant transport in the Gulf of Thailand. IOC/Westpac Conference, Bali, Indonesia, November 22nd–26th, 1994.
- Yaiprasert, C., Jaroensutasinee, K., and Veruttipong, T., 2005. Floating circle of objects (FCO) simulation with Princeton Ocean Model for the Gulf of Thailand. Walailak Journal of Science and Technology 2(1): 99–113.
- Yanagi, T., Sachoemar, S, Takao, T and Fujiwara, S., 2001. Seasonal variation of stratification in the Gulf of Thailand. Journal of Oceanography 57: 461–470.
- Ye, A.L. and Robinson, I.S., 1983. Tidal dynamics in the South China Sea. Geophysical Journal of the Royal Astronomical Society 72: 691–707.
- Zigic, S., Zapata, M., Isaji, T., King, B. and Lemckert, C., 2003. Modelling of Moreton Bay using an ocean/coastal circulation model. Coast and Ports Australasian Conference, 9th 12th September Auckland, New Zealand, paper 170.
- Zigic, S., Langtry, S., King, B., Zapata, M., 2009. Umuroa FPSO oil spill incident New Zealand, October 2007. Coast and Ports Australasian Conference 14th–18th September Wellington, New Zealand, paper 30.
- Zu, T., Gan, J. and Erofeeva, S., 2008. Numerical study of the tide and tidal dynamics in the South China Sea. Deep Sea Research 55: 137–154.

8 APPENDIX A

8.1 Wind Data for the Model Validation – Study 1

The historic wind data for the hydrodynamic model validation study were sourced from the National Centers for Environmental Predictions (NCEP), NOAA-CIRES Climate Diagnostics Center in Boulder, Colorado. The NCEP wind data is the integration of extensive historic and observed atmospheric data into a state-of-the-art atmospheric model with global coverage predictions at 6-hourly intervals. The model includes parameterizations of all major physical processes, including convection, large-scale precipitation, shallow convection, gravity-wave drag, radiation with diurnal cycle and interaction with clouds, boundary layer physics, an interactive surface hydrology, and vertical and horizontal diffusion processes. Near-real time observations are used to self-correct the model predictions to provide an archive of corrected weather data (Cox *et al.*, 1998). The archived re-analysed data have proven to be a highly reliable descriptor of wind-fields over the Gulf region (Chotamonsak and Kreasuwun, 2008).

Furthermore, the NCEP wind data for 2004 was validated and accepted by TREMI as input for the land-bridge oil spill project. The validation process involved comparing the NCEP historic wind speeds and directions to measured data by the Thai Meteorological Department.

Table 14: Comparison of the NCEP historic wind speeds (knots) to measured data by the Thai Meteorological Department (TMD).

Location	Marcl	n-April	May-August		September- October		November- February	
	TMD	NCEP	TMD	NCEP	TMD	NCEP	TMD	NCEP
Upper Gulf	5.2	5.4	6.5	6.7	6.4	4.4	8.5	9.4
Lower Gulf Nearshore	8.9	8.0	8.4	9.8	9.9	8.6	10.2	12.0
Lower Gulf Offshore	9.6	10.4	9.4	11.7	10.6	8.6	10.8	12.2